

MILWAUKEE PUBLIC MUSEUM

Contributions

in
BIOLOGY
and
GEOLOGY

Number 93

March 20, 2000

CHECKLIST OF WISCONSIN MOTHS
(Superfamilies Drepanoidea, Geometroidea, Mimallonoidea,
Bombycoidea, Sphingoidea and Noctuoidea)

Leslie A. Ferge

George J. Balogh

MILWAUKEE PUBLIC MUSEUM

Contributions

in
BIOLOGY
and
GEOLOGY

Number 93

March 20, 2000

CHECKLIST OF WISCONSIN MOTHS
(Superfamilies Drepanoidea, Geometroidea, Mimallonoidea,
Bombycoidea, Sphingoidea and Noctuoidea)

Leslie A. Ferge*
7119 Hubbard Avenue
Milwaukee, Wisconsin 53562-3231

George J. Balogh
6275 Liteolier Street
Portage, Michigan 49024-2394

*Research Affiliate, Milwaukee Public Museum

Milwaukee Public Museum Contributions in Biology and Geology

Rodney Watkins and Paul Mayer, Editors

This publication is priced at \$6.00 and may be obtained by writing to the Museum Shop, Milwaukee Public Museum, 800 West Wells Street, Milwaukee, WI 53233. Orders must include \$3.00 for shipping and handling (\$4.00 for foreign destinations) and must be accompanied by money order or check drawn on U.S. bank. Money orders or checks should be made payable to the Milwaukee Public Museum, Inc. Wisconsin residents please add 5% sales tax.

ISBN 0-89326-205-6

©2000 Milwaukee Public Museum, Inc.
Sponsored by Milwaukee County

ABSTRACT

A total of 1209 species representing the thirteen families comprising the present checklist have been documented in Wisconsin, including 281 species of Geometridae and 732 species of Noctuidae. Distribution is summarized using the six major natural divisions of Wisconsin, and seasonal occurrence of adult specimens is reported. Examples of Wisconsin's diverse native habitat types in each of the natural divisions have been systematically inventoried, and species associated with wetland, bog, prairie, barrens and dune habitats are listed, along with species regarded as strays and migrants.

INTRODUCTION

This list is presented to report documented occurrences in Wisconsin of moth species belonging to thirteen families, comprising an estimated one-half of the state's total moth fauna. In addition, information on distribution and seasonal occurrence of adult specimens is summarized. This is the first comprehensive statewide list treating a large portion of Wisconsin's moths, and reflects a considerable amount of new information from intensive systematic survey efforts over the last 25 years in the great variety of habitat types found in the state. Comparable information is lacking from all adjoining states except Michigan, for which lists were published by Moore (1955) and amended by Newman and Nielsen (1973).

Although Wisconsin's butterflies are reasonably well-known and information, such as Ebner (1970), Kuehn (1983) and Ferge (1990) has been readily available, no comparable work has been published on the state's moth fauna. Previous checklists including Wisconsin moths were compiled by Hoy (1883), Rauterberg (1900), Fernekes (1906) and Muttkowski (1907). Hoy's list was restricted to Racine County, the others to Milwaukee County. Records from these sources are not included in this list because of doubtful identifications and lack of verifiable voucher specimens. Covell (1970) compiled records of 222 Geometridae species based on his examination of specimens representing at least 30 counties.

Curtis (1959) indicates that floristic elements of the eastern deciduous forest region, the boreal region and the prairie region meet and intermingle in the state. The great diversity of habitats found in Wisconsin is a reflection of the state's geographic position, glacial deposits and topography. Hole and Germain (1994) have delineated six major natural divisions of Wisconsin, based on characteristics of geology, soils and vegetation. These are described below and their location indicated Figure 1.

(1) Lake Superior Lowland: A level to undulating glaciated plain formerly dominated by boreal forest of white spruce, balsam fir, white cedar, aspen and paper birch, but presently second growth forest similar to much of northern Wisconsin, with several coastal peat bog and wetland areas. Limited sand dunes occur along the Lake Superior shore and on some of the Apostle Islands.

(2) Northern Highland: A rolling, glaciated plain with mixed deciduous and coniferous forest. Maple, aspen, red pine and white pine are the major tree species. The region contains an abundance of lakes, extensive conifer swamps and peat bogs, and limited areas of pine barrens on dry, sandy soils.

(3) Lake Michigan Shoreland: A level to rolling glaciated region with forests composed of sugar maple, basswood, elm, hemlock and beech at its western limit, with interspersed wetland communities. Several sand dune areas occur along the Lake Michigan shore.

(4) Central Plains: A nearly level sand plain on a former glacial lake bottom, on which the original open jack pine barrens and oak savanna have largely succeeded to closed forests. This is a rich transitional area, with a mixture of western prairie and northern forest elements. Extensive wetlands, ranging from sedge meadows to tamarack bogs, occur on peat and muck soils in low-lying areas. Although not indicated on the map in Figure 1, the area centered in western Burnett County is closely similar to the Central Plains. The great majority of moth species solely recorded from the Central Plains also occur in western Burnett County.

(5) Southeastern Ridges and Lowlands: A glaciated region of ridges, lowlands and moraines, now largely utilized for farmland, with forested areas containing maple, basswood, ash, elm and oak. Many wetland types are present, including sedge meadows and relic bogs. Limited prairie remnants also occur.

(6) Southwestern Upland: A hilly, unglaciated region also known as the Driftless Area, dissected by river valleys. Once extensive areas of prairie and oak savanna are now farmland, with prairie remnants found mostly on steep, rocky sites and on sand plains along the Wisconsin River. The forested areas are composed of oak, hickory, basswood, maple, elm and walnut. Large areas of wet riverbottom forest occur along the lower Wisconsin and Mississippi River Valleys.

MATERIALS AND METHODS

This list is based almost entirely on adult moth specimens collected or examined by the authors. A small number of uncorroborated or questionable records from the literature are briefly discussed at the end of the list. In addition to specimens retained by the authors, specimens were examined in collections at the Milwaukee Public Museum, the University of Wisconsin-Madison, the University of Wisconsin-Oshkosh, the Field Museum of Natural History, Chicago, the Natural History Museum of Los Angeles County, the American Museum of Natural History, New York, and the United States National Museum of Natural History, Washington, D.C. Records were obtained from several private collections. Specimen label data are being compiled and stored electronically using a Microsoft Access database.

Moth specimens collected by the authors were taken primarily at light, relying on a 15-watt blacklight illuminating a sheet, or small battery-operated 15-watt funnel-type blacklight traps. The traps were indispensable for surveying remote or inhospitable areas. Their portability allowed access to almost any site, resulting in many new moth records that could not have been obtained otherwise. Where site conditions allowed, baiting with a mixture of brown sugar and beer, or netting of moths at flowers was done.

Selected examples of Wisconsin's native habitat types in each of the natural divisions have been systematically inventoried. Most of Wisconsin's moth species have one or two adult flights per year, and many are highly seasonal in occurrence, with adults present only 2-3 weeks of the year. Most moth species inhabiting a given locality can be accounted for by sampling at two-week intervals from April-May through early October. Due to the inhibitory effect of bright moonlight on nighttime moth collecting using light, it is preferable to conduct inventories over a minimum of two consecutive years, scheduling site visits once a month, coinciding as




Fig. 1. Natural Divisions of Wisconsin from Hole and Germain (1994).

nearly as practical with the new moon. During the second year, the monthly sampling is scheduled to fill in between the previous dates, which again coincide favorably with the lunar cycle.

RESULTS

A total of 1209 species representing the thirteen families comprising the present checklist has been documented in Wisconsin, including 281 species of Geometridae and 732 species of Noctuidae. The nomenclature and arrangement of the species is generally based on Hedges (1983), with some exceptions. Changes in various names reflect subsequent taxonomic revisions appearing in McGuffin (1977), McCabe (1980), Rindge (1985a) and (1985b), Lafontaine (1987), Covell (1989), Kononenko, Lafontaine and Mikkola (1989), Poole (1989), Bolte (1990), Ferguson, Hilburn and Wright (1991), Lafontaine and Poole (1991), Ferguson (1993), Troubridge and Fitzpatrick (1993), Hardwick (1996), Tuskes, Tuttle and Collins (1996), Crabo and Lafontaine (1997), Handfield, Landry, Landry and Lafontaine (1997), Lafontaine (1998) and Scoble et al. (1999). The Hedges checklist number appears before each species name. In some instances, generic revisions required changes in checklist numbers due to regrouping of species to maintain systematic order. Where these changes have been made, the former checklist number is indicated after the species name. For the Noctuidae, many of these modifications follow Rings et al. (1992) and Grehan et al. (1995).

The range of each species is summarized by indicating its occurrence within Wisconsin's six natural divisions, as shown in Figure 1. Hole and Germain (1994) indicate that boundaries between natural divisions are necessarily approximations. Plant community, geologic and soil boundaries are not sharp, but form a gradient from one type to another. There are some instances where ranges of moth species extend into bordering counties of adjacent divisions, creating the impression that a species is more widespread than it actually is. However, the ranges of the great majority of species correlate well with the divisions. The often lengthy flight periods indicated for some species are due to multiple broods, early or late seasons, and delayed flights farther north in the state or in close proximity to the Great Lakes.

THYATIRIDAE

Thyatirinae

HABROSYNE Hübner, 1821

6235 *scripta* (Gosse, 1840). Divisions 1, 2, 5, late May-June

6236 *gloriosa* (Guenée, 1852). Statewide, mid June-mid August

PSEUDOTHYATIRA Grote, 1865

6237 *cymatophoroides* (Guenée, 1852). Statewide, mid June-early August

EUTHYATIRA Grote, 1865

6240 *pudens* (Guenée, 1852). Statewide, mid April-mid May

DREPANIDAE

Drepaninae

DREPANA Schrank, 1802

6251 *arcuata* Walker, 1855. Statewide, May-mid August

6252 *bilineata* (Packard, 1864). Statewide, late May-mid August

EUDEILINIA Packard, 1876

6253 *herminiata* (Guenée, 1857). Divisions 4, 5, 6, June-July

Oretinae

ORETA Walker, 1855

6255 *rosea* (Walker, 1855). Statewide, July-August

GEOMETRIDAE

Archiearinae

ARCHIEARIS Hübner, 1823

6256 *infans* (Möschler, 1862). Statewide, late March-early May

Alsophilinae

ALSOPHILA Hübner, 1825

6258 *pometaria* (Harris, 1841). Statewide, late October-mid November

Ennominae

HELIOMATA Grote & Robinson, 1866

6261 *cycladata* Grote & Robinson, 1866. Statewide, mid May-early July

PROTITAME McDunnough, 1939

6270 *virginalis* (Hulst, 1900). Divisions 2, 3, 4, 5, 6, late May-late August

MELLILLA Grote, 1873

6271.1 *xanthometata* (Walker, 1862). [formerly 6322] Division 6, early June-early July

EUMACARIA Packard, 1873

6272 *latiferrugata* (Walker, 1863). Statewide, mid May-late August

MACARIA Curtis, 1826

6273 *pustularia* (Guenée, 1858). Statewide, early June-early September

6274 *ribearia* (Fitch, 1848). Statewide, late May-July

6278 *evagaria* (Hulst, 1900). Statewide, late May-late August

6279 *occiduaria* (Packard, 1874). Division 2, late June-late July

6280a *andersoni orientis* (Ferguson, 1953). Divisions 1, 2, 4, mid June-mid August

6282 *argillacearia* (Packard, 1874). Divisions 2, 3, 4, early June-August

6283 *sulfurea* (Packard, 1873). Divisions 1, 2, 3, 4, 6, mid June-early September

6284 *amboflava* (Ferguson, 1953). Division 6, early July

6286 *brunneata* (Thunberg, 1784). Divisions 1, 2, 3, 4, June-August

6287 *anataria* (Swett, 1913). Division 2, early July

6290 *loricaria julia* (Hulst, 1896). Divisions 2, 4, 5, June-mid July

6292 *exauspicata* Walker, 1861. Divisions 2, 4, 5, 6, mid June-early August

6294 *abruptata* (Walker, 1862). Divisions 4, 6, mid June-mid July

6299 *coortaria enigmata* (Barnes & McDunnough, 1917). Divisions 3, 5, 6, early June-early August

6303 *subcessaria* (Walker, 1861). Statewide, mid June-mid August

6304 *bitactata* (Walker, 1862). Divisions 2, 5, early June-early August

6321 *truncataria* (Walker, 1862). Divisions 1, 2, 3, 4, 5, early May-early July

6326 *aemulataria* Walker, 1861. Statewide, late May-August

6330 *ulsterata* (Pearsall, 1913). Divisions 1, 2, 3, 4, late May-August

6331 *promiscuata* (Ferguson, 1974). Division 5, mid June

6332 *punctolineata* Packard, 1873. Divisions 3, 5, late September-early October

6339 *transitaria* Walker, 1861. Divisions 2, 4, 5, 6, early June-late August

6340 *minorata* Packard, 1873. Statewide, late May-late August

6341.1 n. sp. Ferguson (near *bicolorata* (Fabricius, 1798)). Statewide, early June-mid September

- 6342 *bisignata* Walker, 1866. Statewide, mid May-mid September
 6343 *sexmaculata* Packard, 1867. Statewide, mid May-late August
 6344a *signaria dispuncta* Walker, 1860. Divisions 1, 2, 3, 4, 5, late May-July
 6347 *pinistrobata* Ferguson, 1972. Divisions 1, 2, 3, 4, 5, late May-mid September
 6348 *fissinotata* (Walker, 1863). Divisions 1, 2, 3, 5, late May-mid August
 6349 *marmorata* (Ferguson, 1972). Division 2, early June-early August
 6350 *submarmorata* Walker, 1861. Divisions 2, 3, 4, 5, June-early August
 6351 *oweni* (Swett, 1907). Statewide, late May-mid August
 6353 *multilineata* Packard, 1873. Divisions 4, 6, mid May-August
- DIGRAMMIA* Gumppenberg, 1887
- 6357 *eremiata* (Guenée, 1858). Divisions 4, 6, early May-late July
 6358 *ordinata* (Walker, 1862). [*maculifascia* Hulst, 1896 is a synonym (Scoble et al. 1999)]. Divisions 5, 6, late May-late August
 6362 *continuata* (Walker, 1862). [*orillata* Walker, 1863 is a synonym (Scoble et al. 1999)]. Statewide, early May-early September
 6373 *denticulata* (Grote, 1883). Statewide, June-late August
 6386 *ocellinata* (Guenée, 1858). Divisions 3, 4, 5, 6, late May-September
 6396 *neptaria trifasciata* (Packard, 1874). Divisions 2, 3, late May-early August
 6397 *mellistrigata* (Grote, 1873). Divisions 2, 3, 4, 5, mid May-late August
 6399 *subminiata* (Packard, 1874). Divisions 4, 5, 6, late May-early September
 6405 *gnophosaria* (Guenée, 1858). Statewide, early May-mid September
 6410 *pallidata* (Packard, 1873). Division 6, May-mid July
- ISTURGIA* Hübner, 1823
- 6419 *dislocaria* (Packard, 1876). Divisions 4, 5, 6, mid May-late June
- ORTHOFIDONIA* Packard, 1876
- 6428 *tinctaria* (Walker, 1860). Divisions 2, 6, early May-mid June
 6429 *exornata* (Walker, 1862). Division 2, early May-mid June
 6430 *flavivenata* (Hulst, 1898). Divisions 2, 4, early May-early June
- HESPERUMIA* Packard, 1873
- 6431 *sulphuraria* Packard, 1873. Divisions 2, 4, 5, late June-early August
- EMATURGA* Lederer, 1853
- 6436 *amitaria* (Guenée, 1858). Divisions 2, 4, 5, 6, late May-early August
- HYPOMECIS* Hübner, 1821
- 6439 *umbrosaria* (Hübner, 1813). Divisions 4, 6, June
- GLENA* Hulst, 1896
- 6449 *cribrataria* (Guenée, 1858). Divisions 2, 3, June
- STENOPORPIA* McDunnough, 1920
- 6459 *polygrammaria* (Packard, 1876). Divisions 2, 4, 6, June
- TORNOS* Morrison, 1875
- 6486 *scolopacinaria* (Guenée, 1858). Divisions 5, 6, early May-late July
- AETHALURA* McDunnough, 1920
- 6570 *intertexta* (Walker, 1860). Divisions 1, 2, 3, 4, mid April-early August
- IRIDOPSIS* Warren, 1894
- 6582 *vellivolata* (Hulst, 1881). Divisions 2, 3, 4, 6, late April-mid June
 6583 *ephyraria* (Walker, 1860). Statewide, early June-late August
 6584 *humaria* (Guenée, 1858). Divisions 1, 2, 4, 5, late April-late August
 6588 *larvaria* (Guenée, 1858). Statewide, late May-mid August
- ANAVITRINELLA* McDunnough, 1922

- 6590 *pampinaria* (Guenée, 1858). Statewide, early May-August
- CLEORA* Curtis, 1825
- 6594 *sublunaria* (Guenée, 1858). Division 6, May
- 6595 *projecta* (Walker, 1860). Divisions 2, 4, May-early July
- ECTROPIS* Hübner, 1825
- 6597 *crepuscularia* (Denis & Schiffermüller, 1775). Statewide, mid April-early September
- HYPAGYRTIS* Hübner, 1818
- 6597.1 *unipunctata* (Haworth, 1809). [formerly 6654] Statewide, late May-late August
- 6597.3 *piniata* (Packard, 1870). [formerly 6656] Divisions 1, 2, 3, 4, June-mid August
- PROTOBOARMIA* McDunnough, 1920
- 6598 *porcelaria indicataria* (Walker, 1860). Statewide, late May-late August
- EPIMECIS* Hübner, 1825
- 6599 *hortaria* (Fabricius, 1794). Division 5, early July
- MELANOLOPHIA* Hulst, 1896
- 6620 *canadaria* (Guenée, 1858). Statewide, late April-mid August
- 6621 *signataria* (Walker, 1860). Statewide, late April-early July
- EUFIDONIA* Packard, 1876
- 6637 *convergaria* (Walker, 1860). Divisions 1, 2, 3, 4, 5, mid May-mid July
- 6639 *discospilata* (Walker, 1862). Divisions 1, 2, 3, 4, 5, late May-early July
- BISTON* Leach, 1815
- 6640a *betularia cognataria* (Guenée, 1858). Statewide, mid May-September
- LYCIA* Hübner, 1825
- 6651 *ursaria* (Walker, 1860). Divisions 2, 3, 4, 5, 6, early April-late May
- PHIGALIA* Duponchel, 1829
- 6658 *titea* (Cramer, 1780). Statewide, late March-late May
- 6660 *strigataria* (Minot, 1869). Statewide, mid March-May
- PALEACRITA* Riley, 1876
- 6662 *vernata* (Peck, 1795). Statewide, early March-early May
- 6663 *merricata* Dyar, 1903. Divisions 4, 6, late March-late April
- ERANNIS* Hübner, 1825
- 6665 *tiliaria* (Harris, 1841). Statewide, late September-early November
- LOMOGRAPHA* Hübner, 1825
- 6666 *semiclarata* (Walker, 1866). Divisions 2, 3, 4, 5, early May-early July
- 6667 *vestaliata* (Guenée, 1858). Statewide, May-early July
- 6668 *glomeraria* (Grote, 1881). Statewide, mid April-early June
- CABERA* Treitschke, 1825
- 6677 *erythemaria* Guenée, 1858. Statewide, late May-early October
- 6678 *variolaria* Guenée, 1858. Statewide, mid May-early September
- 6680 *quadrifasciaria* (Packard, 1873). Divisions 3, 4, 5, 6, June
- APODREPANULATRIX* Rindge, 1949
- 6693 *liberaria* (Walker, 1860). Divisions 4, 5, late August-early September
- ERASTRIA* Hübner, 1813
- 6704 *coloraria* (Fabricius, 1798). Divisions 3, 4, 5, 6, late April-mid July
- LYTROSIS* Hulst, 1896
- 6720 *unitaria* (Herrich-Schäffer, 1854). Statewide, June-July

EUCHLAENA Hübner, 1823

- 6724 *serrata* (Drury, 1773). Statewide, June-mid August
6726 *obtusaria* (Hübner, 1813). Statewide, June-August
6728 *effecta* (Walker, 1860). Statewide, late June-late July
6729 *johsonaria* (Fitch, 1870). Statewide, early June-late August
6731 *madusaria* (Walker, 1860). Divisions 2, 4, 6, June-mid August
6734 *marginaria* (Minot, 1869). Divisions 1, 2, 4, 5, mid May-early July
6737 *tigrinaria* (Guenée, 1858). Statewide, early June-mid July
6738 *milnei* McDunnough, 1945. Division 6, late June-early July
6739 *irraria* Barnes & McDunnough, 1916. Statewide, early June-early July

XANTHOTYPE Warren, 1894

- 6740 *urticaria* Swett, 1918. Statewide, late May-early September
6743 *sospeta* (Drury, 1773). Statewide, early June-August

PERO Herrich-Schäffer, 1855

- 6753 *honestaria* (Walker, 1860). Statewide, late April-August
6754 *ancetaria* (Hübner, 1806). Statewide, May-August
6755 *morrisonaria* (Hy. Edwards, 1881). Statewide, late May-late July

PHAEOURA Hulst, 1896

- 6763 *quernaria* (J. E. Smith, 1797). Statewide, mid May-mid August

CAMPAEA Lamarck, 1816

- 6796 *perlata* (Guenée, 1858). Statewide, late May-Sepember

ENNOMOS Treitschke, 1825

- 6797 *magnaria* Guenée, 1858. Statewide, August-early November
6798 *subsignaria* (Hübner, 1823). Statewide, late June-early September

SPODOLEPIS Hulst, 1896

- 6799 *substriataria* Hulst, 1896. Divisions 2, 4, late April-late May

PETROPHORA Hübner, 1811

- 6804 *subaequaria* (Walker, 1860). Statewide, May-early August

TACPARIA Walker, 1860

- 6806 *atropunctata* (Packard, 1874). Divisions 1, 2, mid May-mid June
6807 *detersata* (Guenée, 1858). Statewide, mid May-mid July

HOMOCHLODES Hulst, 1896

- 6812 *fritillaria* (Guenée, 1858). Statewide, mid May-late July

GUENERIA Packard, 1876

- 6815 *similaria* (Walker, 1860). Divisions 2, 5, mid June-mid July

SELENIA Hübner, 1823

- 6817 *alciphearia* Walker, 1860. Divisions 1, 2, early May-late June
6818 *kentaria* (Grote & Robinson, 1867). Divisions 1, 2, 6, May-late July

METANEMA Guenée, 1858

- 6819 *inatomaria* Guenée, 1858. Statewide, mid May-mid August
6820 *determinata* Walker, 1866. Divisions 1, 2, 3, 4, 5, late May-mid August

METARRANTHIS Warren, 1894

- 6821 *warneri* (Harvey, 1874). Divisions 2, 3, 4, late May-late June
6822 *duaria* (Guenée, 1858). Statewide, early May-late June
6823 *angularia* Barnes & McDunnough, 1917. Divisions 2, 4, 5, 6, late May-early July
6824 *amyrisaria* (Walker, 1860). Divisions 2, 4, 5, late May-early July
6825 *indeclinata* (Walker, 1861). Divisions 2, 4, 5, late May-late June

- 6826 *hypochraria* (Herrich-Schäffer, 1854). Statewide, mid April-early August
 6827 *refractaria* (Guenée, 1858). Divisions 1, 2, 3, 4, 5, June
 6832 *obfimaria* (Hübner, 1823). Division 5, late June
CEPPHIS Hübner, 1823
 6835 *armataria* (Herrich-Schäffer, 1855). Divisions 2, 3, 4, 5, 6, late April-late August
PROBOLE Herrich-Schäffer, 1855
 6837 *alienaria* Herrich-Schäffer, 1855. Statewide, mid May-late July
 6839.1 *nyssaria* (Guenée, 1858). Statewide, early May-early August
PLAGODIS Hübner, 1823
 6840 *serinaria* (Herrich-Schäffer, 1855). Statewide, mid May-early July
 6841 *kuetzingi* (Grote, 1876). Divisions 2, 3, 5, 6, early June-mid July
 6842 *phlogosaria* (Guenée, 1858). Statewide, May-early August
 6843 *fervidaria* (Herrich-Schäffer, 1855). Statewide, early May-August
 6844 *alcoolaria* (Guenée, 1858). Statewide, late May-mid August
 6844.1 *pulveraria occiduaria* (Walker, 1861). [formerly 6836] Statewide, mid May-early August
CARIETA Walker, 1863
 6863 *divisata* Walker, 1863. Divisions 1, 2, 3, 5, late June-early August
 6864 *piniata* (Packard, 1870). Divisions 1, 2, 3, 4, 5, late May-early August
 6867 *angustiorata* Walker, 1863. Divisions 1, 2, 3, 4, early June-mid August
BESMA Capps, 1943
 6884 *endropiaria* (Grote & Robinson, 1867). Statewide, June-mid July
 6885 *quercivoraria* (Guenée, 1858). Statewide, early May-August
LAMBDINA Capps, 1943
 6888 *fiscellaria* (Guenée, 1858). Statewide, late August-early October
 6894a *fervidaria athasaria* (Walker, 1860). Statewide, mid May-early July
CINGILIA Walker, 1862
 6898 *catenaria* (Drury, 1773). Statewide, early August-early October
NEPYTIA Hulst, 1896
 6906 *canosaria* (Walker, 1863). Statewide, mid July-early October
 6909 *pellucidaria* (Packard, 1873). Divisions 1, 2, 3, 4, 5, September-early October
SICYA Guenée, 1858
 6912 *macularia* (Harris, 1850). Statewide, early June-late August
EUSARCA Hübner, 1813
 6941 *confusaria* Hübner, 1813. Statewide, June-late August
TETRACIS Guenée, 1858
 6963 *crocallata* Guenée, 1858. Statewide, late May-July
 6964 *cachexiata* Guenée, 1858. Statewide, late April-July
EUGONOBAPTA Warren, 1894
 6965 *nivosaria* (Guenée, 1858). Statewide, June-early August
EUTRAPELA Hübner, 1809
 6966 *clemataria* (J. E. Smith, 1797). Statewide, late April-mid June
PATALENE Herrich-Schäffer, 1854
 6974a *olyzonaria puber* (Grote & Robinson, 1867). Division 6, early August
PROCHOEROIDES Grote, 1883
 6982 *lineola* (Goeze, 1781). Statewide, late June-early October
ANTEPIONE Packard, 1876

- 6987 *thisoaria* (Guenée, 1858). Divisions 2, 4, 5, 6, late May-late July
NEMATOCAMPA Guenée, 1858
- 7009 *resistaria* (Herrich-Schäffer, 1856). Statewide, early June-late September
Geometrinae
- NEMORIA** Hübner, 1818
- 7046a *bistriaria siccifolia* (Fitch, 1857). Division 6, late June
 7047 *rubrifrontaria* (Packard, 1873). Divisions 2, 5, 6, late May-June
 7048 *mimosaria* (Guenée, 1858). Statewide, early May-late August
- DICHORDA** Warren, 1900
- 7053 *iridaria* (Guenée, 1858). Divisions 3, 5, 6, June-late July
- SYNCHLORA** Guenée, 1858
- 7058 *aerata aerata* (Fabricius, 1798). Divisions 3, 4, 5, 6, late May-August
 7058a *aerata albolineata* Packard, 1873. Division 1, 2, 4, late June-late August
- CHLOROCHLAMYX** Hulst, 1896
- 7071 *chloroleucaria* (Guenée, 1858). Statewide, mid May-early September
- HETHEMIA** Ferguson, 1969
- 7084 *pistasciaria* (Guenée, 1858). Divisions 2, 3, 4, 5, mid May-early July
- MESOTHEA** Warren, 1901
- 7085 *incertata* (Walker, 1863). Divisions 2, 4, early May-early June
Sterrhinae
- LOBOCLETA** Warren, 1906
- 7094 *ossularia* (Geyer, 1837). Division 5, late August
 7097 *plemyraria* (Guenée, 1858). Divisions 3, 4, 5, 6, May-July
- IDAEA** Treitschke, 1825
- 7102 *bonifata* (Hulst, 1887).
 7114 *demissaria* (Hübner, 1831). Statewide, late May-mid August
 7120 *violacea* (Walker, 1861). Division 6, late June
 7125 *rotundopennata* (Packard, 1876). Division 2, late May-late June
- PLEUROPRUCHA** Möschler, 1890
- 7132 *insulsaria* (Guenée, 1858). Statewide, June-mid October
- CYCLOPHORA** Hübner, 1822
- 7136 *packardi* (Prout, 1936). Divisions 2, 4, 5, 6, early June-mid September
 7139 *pendulinaria* (Guenée, 1858). Statewide, mid May-mid September
 7140 *nanaria* (Walker, 1861). Divisions 3, 4, 5, late August-early October
- HAEMATOPSIS** Hübner, 1823
- 7146 *grataria* (Fabricius, 1798). Statewide, late May-early October
- TIMANDRA** Duponchel, 1829
- 7147 *amaturaria* Walker, 1866. Divisions 2, 5, mid June-mid September
- SCOPULA** Schrank, 1802
- 7157 *cacuminaria* (Morrison, 1874). Statewide, mid June-early September
 7159 *limboundata* (Haworth, 1809). Statewide, early June-early September
 7162 *ancellata* (Hulst, 1887). Statewide, June-August
 7164 *junctaria* (Walker, 1861). Divisions 2, 3, early May-late July
 7165 *quadrilineata* (Packard, 1876). Division 5, early June
 7166 *frigidaria* (Möschler, 1860). Division 2, early July
 7169 *inductata* (Guenée, 1858). Statewide, early May-mid September
- LEPTOSTALES** Möschler, 1890
- 7179 *rubromarginaria* (Packard, 1871). Division 2, late May

Larentiinae

DYSSTROMA Hübner, 1825

- 7182 *citrata* (Linnaeus, 1761). Divisions 1, 2, 3, 4, early June-August
7187a *truncata traversata* (Kellicott, 1886). Division 2, early July
7188 *walkerata* (Pearsall, 1909). Divisions 2, 3, late May-early July
7189 *hersiliata* (Guenée, 1858). Statewide, mid May-late August

EULITHIS Hübner, 1821

- 7196 *diversilineata* (Hübner, 1813). Statewide, late June-mid September
7197 *gracililineata* (Guenée, 1858). Statewide, early June-mid September
7199 *propulsata* (Walker, 1862). Divisions 1, 2, 3, early July-late August
7201 *testata* (Linnaeus, 1761). Divisions 1, 2, 3, 4, 5, mid August-early November
7203 *molliculata* (Walker, 1862). Divisions 3, 4, 5, 6, mid June-late August
7205 *flavibrunneata* (McDunnough, 1943). Divisions 2, 3, 4, 5, early July-mid August
7206 *explanata* (Walker, 1862). Statewide, late June-August
7208 *serrataria* (Barnes & McDunnough, 1917). Divisions 1, 2, 3, July-August

EUSTROMA Hübner, 1825

- 7210 *semiatrata* (Hulst, 1881). Division 2, early June-early August

ECLIPTOPERA Warren, 1894

- 7213 *silacea albolineata* (Packard, 1873). Division 2, mid June-mid September

PLEMYRIA Hübner, 1825

- 7216 *georgii* Hulst, 1896. Divisions 1, 2, 3, late July-late August

THERA Stephens, 1831

- 7217 *juniperata* (Linnaeus, 1758). Division 3, early October

- 7218 *contractata* (Packard, 1873). Divisions 1, 3, mid July-mid September

HYDRIOMENA Hübner, 1825

- 7229 *perfracta* Swett, 1910. Divisions 1, 2, 3, early May-early July

- 7235 *divisaria* (Walker, 1860). Division 2, early May-mid June

- 7236 *renunciata* (Walker, 1862). Divisions 1, 2, 3, 4, 5, early May-early August

- 7237a *transfigurata manitoba* Barnes & McDunnough, 1917. Statewide, late April-May

- 7254 *ruberata* (Freyer, 1831). Divisions 2, 3, 4, 5, early May-early July

TRIPHOSA Stephens, 1829

- 7285a *haesitata affirmaria* (Walker, 1860). Divisions 2, 3, 5, late April-early May

CORYPHISTA Hulst, 1896

- 7290 *meadii* (Packard, 1874). Statewide, May-late October

RHEUMAPTERA Hübner, 1822

- 7291 *undulata* (Linnaeus, 1758). Division 2, late June-late July

- 7292 *prunivora* (Ferguson, 1955). Statewide, late May-mid September

- 7293a *hastata gothicata* (Guenée, 1858). Divisions 2, 3, 5, 6, late May-early July

- 7294 *subhastata* (Nolcken, 1870). Division 2, June

MESOLEUCA Hübner, 1825

- 7307 *ruficillata* (Guenée, 1858). Statewide, late May-August

SPARGANIA Guenée, 1858

- 7312 *magnoliata* Guenée, 1858. Divisions 2, 3, mid June-September

- 7313 *luctuata obductata* (Möschler, 1860). Division 2, mid August

PERIZOMA Hübner, 1825

- 7316 *basaliata* (Walker, 1862). Divisions 2, 3, 4, 6, late June-August

- ANTICLEA* Stephens, 1831
- 7329 *vasiliata* Guenée, 1858. Divisions 1, 2, 3, 4, 5, early April-early June
 - 7330 *multiferata* (Walker, 1863). Divisions 2, 3, 4, 5, late May-early June
- STAMNODES* Guenée, 1858
- 7333 *gibbicostata* (Walker, 1862). Divisions 2, 4, 5, late August-mid September
- XANTHORHOE* Hübner, 1825
- 7368 *labradorensis* (Packard, 1867). Divisions 2, 3, 4, late May-early September
 - 7369 *packardata* McDunnough, 1945. Divisions 2, 3, 5, late July-early August
 - 7370 *abrasaria congregata* (Walker, 1862). Divisions 1, 2, 5, late June-late August
 - 7371 *iduata* (Guenée, 1858). Divisions 2, 4, late June-July
 - 7384 *decoloraria* (Esper, 1806). Divisions 1, 2, July
 - 7388 *ferrugata* (Clerck, 1759). Statewide, early May-early September
 - 7390 *lacustrata* (Guenée, 1858). Divisions 1, 2, 4, 5, late April-early September
 - 7391 *dentilinea* Barnes & McDunnough, 1913. Division 2, mid August
- EPIRRHOE* Hübner, 1825
- 7394 *alternata* (Muller, 1764). Divisions 2, 3, 5, 6, late May-late August
- EUPHYIA* Hübner, 1825
- 7399a *intermediata* (Guenée, 1858). Statewide, mid May-mid October
- ORTHONAMA* Hübner, 1825
- 7414 *obstipata* (Fabricius, 1794). Statewide, late April-November
 - 7415 *evansi* McDunnough, 1920. Divisions 4, 5, late June-mid August
- COSTACONVEXA* Agenjo, 1949
- 7416 *centrostrigaria* (Wollaston, 1858). Statewide, late April-early November
- HYDRELLIA* Hübner, 1825
- 7419 *lucata* (Guenée, 1858). Divisions 2, 3, 5, 6, late May-mid August
 - 7420 *condensata* (Walker, 1862). Divisions 2, 5, late May-early July
 - 7423 *albifera* (Walker, 1866). Statewide, late May-mid August
- VENUSIA* Curtis, 1839
- 7428 *comptaria* (Walker, 1860). Divisions 2, 4, 5, 6, late April-late May
- TRICHOODEZIA* Warren, 1895
- 7430 *albovittata* (Guenée, 1858). Statewide, early May-August
- EPIRITA* Hübner, 1822
- 7433a *autumnata henshawi* (Swett, 1917). Statewide, late September-late October
- OPEROPHTERA* Hübner, 1825
- 7437a *bruceata* (Hulst, 1886). Statewide, mid October-mid November
- EUBAPHE* Hübner, 1823
- 7440 *mendica* (Walker, 1854). Statewide, late May-August
- HORISME* Hübner, 1825
- 7445 *intestinata* (Guenée, 1858). Statewide, early May-late August
- EUPITHECIA* Curtis, 1825
- 7449 *palpata* Packard, 1873. Divisions 2, 3, 4, 5, late May-mid August
 - 7459 *columbiata* (Dyar, 1904). Divisions 2, 4, 5, 6, late April-early June
 - 7474 *miserulata* Grote, 1863. Statewide, early May-late October
 - 7476 *misturata* (Hulst, 1896). Divisions 2, 3, late May-mid August
 - 7481 *coloradensis* (Hulst, 1896). Division 2, early June
 - 7483 *regina* Taylor, 1906. Division 4, early June
 - 7485 *borealis* (Hulst, 1898). Division 2, early June
 - 7487 *subfuscata* (Haworth, 1809). Divisions 1, 2, 3, late May-mid July

- 7489 *lariciata* (Freyer, 1841). Division 2, late May-early June
 7491 *fletcherata* Taylor, 1907. Divisions 1, 5, early May-mid August
 7492 *casloata* (Dyar, 1904). Division 1, late June
 7495 *affinata* Pearsall, 1908. Divisions 3, 6, late August-early September
 7509.1 *matheri* Rindge, 1985. Divisions 2, 4, 6, late April
 7518a *intricata taylorata* Swett, 1907. Divisions 3, 4, 5, late May-early July
 7520c *satyrata dodata* Taylor, 1906. Division 3, early June
 7522 *nimbicolor* (Hulst, 1896). Divisions 1, 2, late May-early June
 7523 *strattonata* Packard, 1873. Division 2, 4, late May-early June
 7524 *cimicifugata* Pearsall, 1908. Divisions 3, 5, early June-mid July
 7526 *russeliata* Swett, 1908. Divisions 2, 4, 6, late May-late July
 7527 *ammonata* McDunnough, 1929. Division 2, late May
 7528 *assimilata* Doubleday, 1856. Divisions 2, 3, 5, 6, mid June-mid August
 7529 *absinthiata* (Clerck, 1759). Divisions 2, 3, 5, 6, late July-August
 7530 *swettii* Grossbeck, 1907. Divisions 2, 4, 5, 6, mid April-late May
 7540 *perfusca* (Hulst, 1898). Divisions 1, 2, 3, early June-late July
 7543 *annulata* (Hulst, 1896). Division 2, late April-mid May
 7551 *interruptofasciata* Packard, 1873. Divisions 3, 4, 5, early August-early October
 7565 *bowmani* Cassino & Swett, 1923. Division 2, early June
 7575 *mutata* Pearsall, 1908. Division 5, mid July
 7594 *anticaria* Walker, 1862. Divisions 3, 4, 5, May-mid June
 7605 *ravocostaliata* Packard, 1876. Statewide, late April-early May
ACASIS Duponchel, 1845
 7635 *viridata* (Packard, 1873). Divisions 2, 3, 5, late April-late August
CLADARA Hulst, 1896
 7637 *limitaria* (Walker, 1860). Statewide, late April-early June
 7639 *atroliturata* (Walker, 1863). Divisions 2, 4, 6, early April-late May
LOBOPHORA Curtis, 1825
 7640 *nivigerata* Walker, 1862. Statewide, late April-mid August
HETEROPHLEPS Herrich-Schäffer, 1854
 7645 *refusaria* (Walker, 1861). Divisions 2, 5, 6, late May-early July
 7647 *triguttaria* Herrich-Schäffer, 1854. Statewide, late May-late July
DYSPTERIS Hübner, 1818
 7648 *abortivaria* (Herrich-Schäffer, 1855). Divisions 3, 4, 5, 6, early May-early September

EPIPLEMIDAE

- CALLEZZIA* Packard, 1876
 7650 *amorata* Packard, 1864. Division 2, early July

- CALLEDAPTERYX* Grote, 1868
 7653 *dryopterata* Grote, 1868. Divisions 3, 5, 6, mid June-mid July

MIMALLONIDAE

- LACOSOMA* Grote, 1864

- 7659 *chiridota* Grote, 1864. Divisions 5, 6, late June

- CICINNUS* Blanchard, 1852

- 7662 *melsheimeri* (Harris, 1841). Divisions 4, 5, 6, late May-mid June

APATELODIDAE

APATELODES Packard, 1864

- 7663 *torrefacta* (J. E. Smith, 1797). Divisions 5, 6, June-mid July
OLCECLOSTERA Butler, 1878

- 7665 *angelica* (Grote, 1864) . Divisions 2, 5, 6, late June-late July

LASIOCAMPIDAE

Macromphaliinae

TOLYPE Hübner, 1820

- 7670 *velleda* (Stoll, 1791). Statewide, late August-September

- 7673 *laricis* (Fitch, 1856). Divisions 1, 2, 3, 4, late August-September

Gastropachinae

HETEROPACHA Harvey, 1874

- 7685 *rileyana* Harvey, 1874. Division 6, mid May-mid August

PHYLLODESMA Hübner, 1820

- 7687 *americana* (Harris, 1841). Statewide, mid May-July

Lasiocampinae

MALACOSOMA Hübner, 1820

- 7698 *dissilia* Hübner, 1820. Statewide, late June-July

- 7701 *americanum* (Fabricius, 1793). Statewide, late June- mid July

SATURNIIDAE

Citheroniinae

EACLES Hübner, 1819

- 7704 *imperialis* (Drury, 1773). Divisions 5, 6, July

SPHINGICAMPA Walsh, 1864

- 7709 *bicolor* (Harris, 1841). Division 6, May, July

- 7712 *bisecta* (Lintner, 1879). Division 5. Type locality is Racine, Wisconsin.

DRYOCAMPA Harris, 1833

- 7715 *rubicunda* (Fabricius, 1793). Statewide, late May-June

ANISOTA Hübner, 1820

- 7716 *stigma* (Fabricius, 1775). Divisions 2, 5, mid June-mid July

- 7719 *senatoria* (J. E. Smith, 1797). Divisions 2, 4, 5, mid June-late July

- 7723 *virginiensis* (Drury, 1773). Divisions 2, 4, 5, 6, late May-mid June

Hemileucinae

HEMILEUCA Walker, 1855

- 7730 *maia* (Drury, 1773) complex. Divisions 2, 4, 5, late September-early October

AUTOMERIS Hübner, 1819

- 7746 *io* (Fabricius, 1775). Statewide, late May-June

Saturniinae

ANTHERAEA Hübner, 1819

- 7757 *polyphemus* (Cramer, 1776). Statewide, late May-June

ACTIAS Leach, 1815

- 7758 *luna* (Linnaeus, 1758). Statewide, mid May-June

CALLOSAMIA Packard, 1864

- 7764 *promethea* (Drury, 1773). Statewide, June

HYALOPHORA Duncan, 1841

- 7767 *cecropia* (Linnaeus, 1758). Statewide, late May-June

7768 *columbia columba* (S. I. Smith, 1865). Division 2, late May-early June

SPHINGIDAE

Sphinginae

AGRIUS Hübner, 1819

7771 *cingulata* (Fabricius, 1775). Division 5, early October

MANDUCA Hübner, 1807

7775 *sexta* (Linnaeus, 1763). Divisions, 4, 5, 6, July-September

7776 *quinquemaculata* (Haworth, 1803). Statewide, July-September

DOLBA Walker, 1856

7784 *hyloceus* (Drury, 1773). Divisions 2, 4, early July-mid August

CERATOMIA Harris, 1839

7786 *amynor* (Geyer, 1835). Statewide, June-July

7787 *undulosa* (Walker, 1856). Statewide, June-July

7789 *catalpae* (Boisduval, 1875). Divisions 5, 6, mid-July-early September

7790 *hageni* Grote, 1874. Division 6, late July-early August

SPHINX Linnaeus, 1758

7796 *eremita* (Hübner, 1823). Statewide, July

7802 *cheris* (Hübner, 1823). Statewide, July

7803 *vashti* Strecker, 1878. Divisions 3, 5, mid June-July

7807 *canadensis* Boisduval, 1875. Divisions 1, 2, 3, July

7809 *kalmiae* J. E. Smith, 1797. Statewide, June-July

7810 *gordius* Cramer, 1780. Divisions 4, 5, 6, late May-early July

7810.1 *poecila* Stephens, 1828. Divisions 1, 2, 3, 4, late May-July

7811 *luscitiosa* Clemens, 1859. Divisions 2, 3, late May-early July

7812 *drupiferarum* J. E. Smith, 1797. Statewide, late May-early July

LAPARA Walker, 1856

7817 *bombycoides* Walker, 1856. Divisions 1, 2, 3, 4, 6, June-mid July

SMERINTHUS Latreille, 1802

7821 *jamaicensis* (Drury, 1773). Statewide, late May-mid August

7822 *cerisyi* Kirby, 1837. Statewide, mid May-June

PAONIAS Hübner, 1819

7824 *excaecatus* (J. E. Smith, 1797). Statewide, June-July

7825 *myops* (J. E. Smith, 1797). Statewide, late May-early August

LAOTHOE Fabricius, 1807

7827 *juglandis* (J. E. Smith, 1797). Statewide, mid-May-July

PACHYSPHINX Rothschild & Jordan, 1903

7828 *modesta* (Harris, 1839). Statewide, late May-July

Macroglossinae

ERINNYIS Hübner, 1819

7832 *alope* (Drury, 1770). Division 4, early September

7834 *ello* (Linnaeus, 1758). Divisions 5, 6, July-mid September

7837 *obscura* (Fabricius, 1775). Division 5, early September

AELLOPOS Hübner, 1819

7849 *titan* (Cramer, 1777). Divisions 3, 5, late July-early September

HEMARIS Dalman, 1816

7853 *thysbe* (Fabricius, 1775). Statewide, early June-mid August

7854 *gracilis* (Grote & Robinson, 1865). Divisions 2, 4, late May-late June

- 7855 *diffinis* (Boisduval, 1836). Statewide, May-early August
EUMORPHA Hübner, 1807
- 7859 *pandorus* (Hübner, 1821). Divisions 4, 5, 6, mid June-early September
 7861 *achemon* (Drury, 1773). Divisions 5, 6, July-Sepember
 7865 *fasciata* (Sulzer, 1776). Division 5, mid-July
 7866 *labruscae* (Linnaeus, 1758). Division 5, mid-October
- SPHECODINA** Blanchard, 1840
- 7870 *abbotti* (Swainson, 1821). Divisions 3, 4, 5, 6, early May-mid June
- DEIDAMIA** Clemens, 1859
- 7871 *inscripta* (Harris, 1839). Divisions 3, 4, 5, 6, late April-early June
- AMPHION** Hübner, 1819
- 7873 *floridensis* B. P. Clark, 1920. Statewide, June
- DARAPSA** Walker, 1856
- 7884 *versicolor* (Harris, 1839). Division 6, mid July-early August
 7885 *myron* (Cramer, 1780). Statewide, June-July
 7886 *pholus* (Cramer, 1776). Statewide, mid May-July
- XYLOPHANES** Hübner, 1819
- 7890 *tersa* (Linnaeus, 1771). Divisions 4, 5, 6, early July-early Spetember
- HYLES** Hübner, 1819
- 7893 *gallii* (Rottemburg, 1775). Divisions 2, 3, 6, mid June-mid July
 7894 *lineata* (Fabricius, 1775). Statewide, mid-May-September

NOTODONTIDAE

- CLOSTERA** Samouelle, 1819
- 7895 *albosigma* Fitch, 1856. Statewide, mid May-mid August
 7896 *inclusa* (Hübner, 1829-31). Divisions 2, 4, mid May-mid June
 7898 *strigosa* (Grote, 1882). Statewide, early May-mid August
 7900 *brucei* Hy. Edwards, 1885. Division 2, mid May-June
 7901 *apicalis* (Walker, 1855). Statewide, early May-mid August
- DATANA** Walker, 1855
- 7902 *ministra* (Drury, 1773). Statewide, mid June-July
 7903 *angusii* Grote & Robinson, 1866. Divisions 3, 5, 6, late June-July
 7904 *drexelii* Hy. Edwards, 1884. Division 2, late June
 7906 *contracta* Walker, 1855. Divisions 5, 6, late June-late July
 7907 *integerrima* Grote & Robinson, 1866. Divisions 5, 6, late June-late July
 7908 *perspicua* Grote & Robinson, 1865. Division 6, July
- NADATA** Walker, 1855
- 7915 *gibbosa* (J. E. Smith, 1797). Statewide, une-July
- HYPERAESCHRA** Butler, 1880
- 7917 *georgica* (Herrich-Schäffer, 1855). Statewide, late May-mid August
- PERIDEA** Stephens, 1828
- 7919 *basitriens* (Walker, 1855). Statewide, July
 7920 *angulosa* (J. E. Smith, 1797). Statewide, mid June-mid August
 7921 *ferruginea* (Packard, 1864). Statewide, mid June-early August
- PHEOSIA** Hübner, 1819
- 7922 *rimosa* Packard, 1864. Statewide, mid May-August
- ODONTOSIA** Hübner, 1819
- 7924 *elegans* (Strecker, 1885). Statewide, mid May-July

- NOTODONTA* Boisduval, 1828
- 7926 *scitipennis* Walker, 1862. Divisions 2, 3, 4, late May-early July
 - 7928 *simplaria* Graef, 1881. Divisions 2, 4, 6, late May-mid August
- NERICE* Walker, 1855
- 7929 *bidentata* Walker, 1855. Statewide, mid May-late August
- ELLIDA* Grote, 1876
- 7930 *caniplaga* (Walker, 1856). Statewide, early May-mid-July
- GLUPHISIA* Boisduval, 1828
- 7931 *septentrionis* Walker, 1855. Statewide, mid May-mid August
 - 7933 *avimacula* Hudson, 1891. Statewide, early April-May
 - 7934 *lintneri* (Grote, 1877). Divisions 2, 5, 6, mid April-mid May
- FURCULA* Lamarck, 1816
- 7936 *borealis* (Guerin-Meneville, 1832). Statewide, mid-May-early August
 - 7937 *cinerea* (Walker, 1865). Statewide, mid-June-July
 - 7939 *occidentalis* (Lintner, 1878). Statewide, mid May-mid August
 - 7941 *modesta* (Hudson, 1891). Statewide, early May-mid August
- CERURA* Schrank, 1802
- 7942 *scitascripta* Walker, 1865. Divisions 2, 3, 5, late May-mid July
- SYMMERISTA* Hübner, 1821
- 7951 *albifrons* (J. E. Smith, 1797). Divisions 3, 6, early July-early August
 - 7952 *canicosta* Franclemont, 1946. Statewide, early June-mid July
 - 7953 *leucitys* Franclemont, 1946. Statewide, June-mid July
- DASYLOPHIA* Packard, 1864
- 7957 *anguina* (J. E. Smith, 1797). Divisions 3, 5, 6, mid May-late August
 - 7958 *thyatiroides* (Walker, 1862). Division 3, July
- MACRUROCAMPA* Dyar, 1893
- 7975 *marthesia* (Cramer, 1780). Divisions 4, 5, 6, June-July
- HETEROCAMPA* Doubleday, 1841
- 7983 *obliqua* Packard, 1864. Statewide, July
 - 7985 *subrotata* Harvey, 1874. Division 6, June-mid July
 - 7990 *umbrata* Walker, 1855. Statewide, June-July
 - 7994 *guttivitta* (Walker, 1855). Statewide, late May-June
 - 7995 *biundata* Walker, 1855. Statewide, June-July
- LOCHMAEUS* Doubleday, 1841
- 7998 *manteo* Doubleday, 1841. Statewide, June-July
 - 7999 *bilineata* (Packard, 1864). Statewide, late May-July
- SCHIZURA* Doubleday, 1841
- 8005 *ipomoeae* Doubleday, 1841. Statewide, mid June-mid August
 - 8006 *badia* (Packard, 1864). Divisions 2, 3, 5, 6, mid June-mid July
 - 8007 *unicornis* (J. E. Smith, 1797). Statewide, mid May-mid August
 - 8009 *apicalis* (Grote & Robinson, 1866). Divisions 2, 4, 6, June-July
 - 8010 *concinna* (J. E. Smith, 1797). Divisions 1, 2, mid June-mid July
 - 8011 *leptinoides* (Grote, 1864). Statewide, mid June-mid August
- OLIGOCENTRIA* Herrich-Schäffer
- 8012 *semirufescens* (Walker, 1865). Statewide, late June-early August
 - 8017 *lignicolor* (Walker, 1855). Statewide, mid June-mid August
- HYPARPAX* Hübner, 1825
- 8022 *aurora* (J. E. Smith, 1797). Divisions 4, 5, 6, June-mid July

ARCTIIDAE

Lithosiinae

EILEMA Hübner, 1819

- 8043 *bicolor* (Grote, 1864). Divisions 1, 2, 3, mid July-late August

CRAMBIDIA Packard, 1864

- 8045.1 *pallida* Packard, 1864. Statewide, early July-early August

- 8051 *casta* (Packard, 1869). Divisions 2, 3, 4, 6, mid August-mid September

- 8052 *pura* Barnes & McDunnough, 1913. Divisions 2, 6, late August-mid September

LYCOMORPHA Harris, 1839

- 8087 *pholus* (Drury, 1773). Divisions 2, 3, 6, July-mid September

HYPOPREPIA Hübner, 1827-31

- 8089 *miniata* (Kirby, 1837). Statewide, June-mid August

- 8090 *fucosa* Hübner, 1827-31. Statewide, July-August

CLEMENSIA Packard, 1864

- 8098 *albata* Packard, 1864. Statewide, June-August

Arctiinae

UTETHEISA Hübner, 1819

- 8106 *bella* (Linnaeus, 1758). Division 5, late August

HAPLOA Hübner, 1820

- 8109 *reversa* (Stretch, 1885). Statewide, late June-July

- 8110 *contigua* (Walker, 1855). Divisions 2, 4, 6, July

- 8111 *lecontei* (Guerin-Meneville, 1832). Statewide, late June-late July

- 8112 *confusa* (Lyman, 1887). Statewide, July

HOLOMELINA Herrich-Schäffer, 1856

- 8114 *laeta* (Guerin-Meneville, 1832). Divisions 2, 3, 4, 6, late June-mid July

- 8118 *opella* (Grote, 1863). Divisions 5, 6, late June-early August

- 8120 *lamiae* (Freeman, 1941). Divisions 2, 3, late June-early July

- 8121 *aurantiaca* (Hübner, 1827-31). Statewide, late June-mid September

- 8123 *ferruginosa* (Walker, 1854). Statewide, mid July-mid August

- 8124 *immaculata* (Reakirt, 1864). Division 2, July-mid August

PYRRHARCTIA Packard, 1864

- 8129 *isabella* (J. E. Smith, 1797). Statewide, early June-late July

ESTIGMENE Hübner, 1820

- 8131 *acrea* (Drury, 1773). Statewide, early June-early August

SPILOSOMA Curtis, 1825

- 8133 *latipennis* Stretch, 1872. Statewide, late May-June

- 8134 *congrua* Walker, 1855. Statewide, mid May-mid July

- 8136 *dubia* (Walker, 1855). Division 2, late May-mid June

- 8137 *virginica* (Fabricius, 1798). Statewide, mid May-July

HYPHANTRIA Harris, 1841

- 8140 *cunea* (Drury, 1773). Statewide, mid May-early July

ECPANTHERIA Hübner, 1820

- 8146 *scribonia* (Stoll, 1790). Divisions 4, 6, mid June

PHRAGMATOBIA Stephens, 1828

- 8156 *fuliginosa* (Linnaeus, 1758). Statewide, mid June-mid September

- 8157 *lineata* Newman & Donahue, 1966. Divisions 5, 6, July

- 8158 *assimilans* Walker, 1855. Divisions 1, 2, 3, 4, mid May-early June
PLATARCTIA Packard, 1864
 8162 *parthenos* (Harris, 1850). Divisions 1, 2, June-early July
ARCTIA Schrank, 1802
 8166a *caja americana* Harris, 1841. Divisions 1, 2, late July-early August
APANTESIS Harris, 1841
 8169 *phalerata* (Harris, 1841). Divisions 3, 5, 6, June-mid September
 8171 *nais* (Drury, 1773). Statewide, late May-late August
 8171.1 *carlotta* Ferguson, 1985. Division 6, June-mid September
GRAMMIA Rambur, 1866
 8175 *virguncula* (Kirby, 1837). Statewide, June-early July
 8175.1 *speciosa* (Möschler, 1864). Divisions 1, 2, 4 mid July-early August
 8176 *anna* (Grote, 1864). Division 6, mid June
 8187 *celia* (Saunders, 1863). Divisions 2, 3, 4, 6, mid May-mid June
 8188 *figurata* (Drury, 1773). Division 6, mid May-early June
 8194 *phyllira* (Drury, 1773). Divisions 3, 4, 6, early June-early September
 8195 *oithona* (Strecker, 1878). Divisions 3, 4, 6, early June-early September
 8196 *parthenice* (Kirby, 1837). Statewide, late July-early September
 8197 *virgo* (Linnaeus, 1758). Statewide, mid July-mid August
 8199 *arge* (Drury, 1773). Divisions 4, 5, 6, early May-early September
HALYSIDOTA Hübner, 1819
 8203 *tessellaris* (J. E. Smith, 1797). Statewide, mid June-July
LOPHOCAMPA Harris, 1841
 8211 *caryae* Harris, 1841. Divisions 3, 5, 6, June
 8214 *maculata* Harris, 1841. Divisions 1, 2, 3, 4, June
CYCNIA Hübner, 1818
 8228 *inopinatus* Hy. Edwards, 1882. Divisions 4, 5, 6, June-early September
 8230 *tenera* Hübner, 1818. Statewide, early June-August
 8231 *oregonensis* (Stretch, 1873). Statewide, late May-mid August
EUCHAETES Harris, 1841
 8238 *egle* (Drury, 1773). Statewide, early June-mid July
PYGARCTIA Grote, 1871
 8254 *spraguei* (Grote, 1875). Division 4, early June
Ctenuchinae
CTENUCHA Kirby, 1837
 8262 *virginica* (Esper, 1794). Statewide, mid June-July
CISSEPS Franclemont, 1936
 8267 *fulvicollis* (Hübner, 1818). Statewide, mid June-mid September

LYMANTRIIDAE

Orgyiinae

DASYCHIRA Hübner, 1809

- 8293 *dorsipennata* (Barnes & McDunnough, 1919). Statewide, late June-early August
 8294 *vagans* (Barnes & McDunnough, 1913). Division 2, July
 8296 *basiflava* (Packard, 1864). Statewide, late June-early August
 8300 *cinnamomea* (Grote & Robinson, 1866). Statewide, mid July-late August
 8302 *obliquata* (Grote & Robinson, 1866). Statewide, mid July-mid August

- 8304 *plagiata* (Walker, 1865). Divisions 2, 3, July-early August
 8305 *pinicola* (Dyar, 1911). Divisions 2, 4, early June-July
ORGYIA Ochsenheimer, 1810
 8308a *antiqua nova* Fitch, 1863. Division 2, September
 8314 *definita* Packard, 1864. Statewide, late August-September
 8316 *leucostigma* (J. E. Smith, 1797). Statewide, late August-early October
LYMANTRIA Hübner, 1819
 8318 *dispar* (Linnaeus, 1758). Statewide, late July-August

NOCTUIDAE

Herminiinae

IDIA Hübner, 1813

- 8322 *americanalis* (Guenée, 1854). Statewide, June-mid October
 8323 *aemula* Hübner, 1813. Statewide, June-mid October
 8323.1 near *aemula* Hübner, 1813. (*concisa* of authors). Statewide, early July-mid August
 8324 *majoralis* (J. B. Smith, 1895). Divisions 3, 5, 6, July-early September
 8327 *forbesi* (French, 1894). Division 6, late June-early July
 8326 *rotundalis* (Walker, 1866). Statewide, July-mid August
 8328 *julia* (Barnes & McDunnough, 1918). Divisions 3, 5, 6, mid-July-mid August
 8329 *diminuendis* (Barnes & McDunnough, 1918). Divisions 2, 4, late July-mid August
 8330 *scobialis* (Grote, 1880). Division 5, early August
 8333 *denticulalis* (Harvey, 1875). Division 6, early July
 8334 *lubricalis* (Geyer, 1832). Statewide, June-early September

PHALAEONOPHANA Grote, 1873

- 8338 *pyramusalis* (Walker, 1859). Statewide, mid May-mid July

ZANCLOGNATHA Lederer, 1857

- 8340 *lituralis* (Hübner, 1818). Divisions 2, 4, 6, late June-early August
 8341 *theralis* (Walker, 1859). Divisions 1, 2, late June-early August
 8345 *laevigata* (Grote, 1872). Statewide, late June-early August
 8348 *pedipilalis* (Guenée, 1854). Divisions 2, 5, 6, June-late August
 8349 *protumnusalis* (Walker, 1859). Division 6, late June
 8350 *martha* Barnes, 1928. Divisions 1, 2, 4, mid June-late July
 8351 *cruralis* (Guenée, 1854). Statewide, mid June-early July
 8352 *jaccusalis* (Walker, 1859). Division 6, mid August
 8353 *ochreipennis* (Grote, 1872). Statewide, early July-late August

CHYTOLITA Grote, 1873

- 8355 *morbidalis* (Guenée, 1854). Division 6, early June
 8356 *petrealis* Grote, 1880. Divisions 1, 2, 3, 6, June

MACROCHILO Hübner, 1825

- 8357 *absorptalis* Walker, 1859. Statewide, mid June-mid August
 8357.1 *hypocriticalis* Ferguson, 1982. Divisions 5, 6, early July-mid August
 8358 *litophora* (Grote, 1873). Divisions 5, 6, early July
 8359 *bivittata* (Grote, 1877). Statewide, July-mid August
 8360 *orciferalis* Walker, 1859. Statewide, July-early September
 8361 *louisiana* (Forbes, 1922). Statewide, July-mid August

PHALAEONOSTOLA Grote, 1873

- 8362 *metonalis* (Walker, 1859). Statewide, mid June-mid August
 8363 *eumelusalis* (Walker, 1859). Divisions 4, 5, 6, late June-late July
 8364 *larentioides* Grote, 1873. Statewide, mid June-mid August
 8365 *hanhami* (J. B. Smith, 1899). Statewide, early July-mid August
- TETANOLITA** Grote, 1873
- 8366 *mynesalis* (Walker, 1859). Division 5, mid September
 8368 *florida* (J. B. Smith, 1895). Division 5, mid-August
- BLEPTINA** Guenée, 1854
- 8370 *caradrinalis* Guenée, 1854. Statewide, mid June-early August
- RENTIA** Guenée, 1854
- 8379 *factiosalis* (Walker, 1859). Divisions 5, 6, mid July-late August
 8384.1 *flavipunctalis* (Geyer, 1832). Statewide, early July-mid August
 8387 *sobrialis* (Walker, 1859). Divisions 1, 4, 6, early July-mid August
- LASCORIA** Walker, 1859
- 8393 *ambigualis* Walker, 1866. Divisions 5, 6, late May-early September
- PALTHIS** Hübner, 1825
- 8397 *angulalis* (Hübner, 1796). Statewide, June-mid August
 8398 *asopialis* (Guenée, 1854). Divisions 5, 6, early June-early August
- Rivulinae**
- RIVULA** Guenée, 1845
- 8404 *propinqualis* Guenée, 1854. Statewide, late June-early September
- COLOBOCHYLA** Hübner, 1825
- 8411 *interpuncta* (Grote, 1872). Division 5, early June
- MELANOMMA** Grote, 1875
- 8412 *auricinctaria* Grote, 1875. Divisions 5, 6, July
- MYCTEROPHORA** Hulst, 1896
- 8413 *inexplicata* (Walker, 1862). Division 2, late July-early August
- Hypenodinae**
- HYPENODES** Doubleday, 1850
- 8420 *caducus* (Dyar, 1907). Divisions 4, 5, 6, late June-mid August
 8421 *fractilinea* (J. B. Smith, 1908). Divisions 4, 5, late June-mid August
 8422 *palustris* Ferguson, 1954. Divisions 4, 5, late June-mid August
 8423 *sombrus* Ferguson, 1954. Divisions 2, 4, 5, early July-mid August
- DYSPYRALIS** Warren, 1891
- 8426 *ilocata* Warren, 1891. Division 6, July
 8427 *puncticosta* (J. B. Smith, 1908). Division 5, late July
 8428 *nigella* (Strecker, 1900). Division 6, late June-mid July
- PARAHYPENODES** Barnes & McDunnough, 1918
- 8430 *quadralis* Barnes & McDunnough, 1918. Division 6, late June
- Hypeninae**
- BOMOLOCHA** Hübner, 1825
- 8441 *manalis* (Walker, 1859). Divisions 4, 5, 6, late July-early September
 8442 *baltimorealis* (Guenée, 1854). Statewide, mid May-July
 8443 *bijugalis* (Walker, 1859). Statewide, early June-August
 8444 *palparia* (Walker, 1861). Divisions 2, 5, June-early August
 8445 *abalienalis* (Walker, 1859). Divisions 5, 6, mid June-late August
 8446 *deceptalis* (Walker, 1859). Statewide, June-mid August
 8447 *madefactalis* (Guenée, 1854). Divisions 5, 6, late May-mid June

- 8448 *sordidula* (Grote, 1872). Division 6, June-mid August
 8450 *atomaria* J. B. Smith, 1903. Division 6, June-mid August
 8452 *edictalis* (Walker, 1859). Statewide, late June-mid August
LOMANALTES Grote, 1873
 8455 *eductalis* (Walker, 1859). Divisions 1, 2, 3, 4, early July-August
OPIHUCHE Hübner, 1825
 8457 *minualis* (Guenée, 1854). Division 5, mid September
HYPENA Schrank, 1802
 8461 *humuli* Harris, 1841. Statewide, May-late September
PLATHYPENA Grote, 1873
 8465 *scabra* (Fabricius, 1798). Statewide, mid June-mid October
TATHORHYNCHUS Hampson, 1894
 8466 *exsiccatus* (Leder, 1855). Division 5, mid-July
SPARGALOMA Grote, 1873
 8479 *sexpunctata* Grote, 1873. Statewide, early June-early September
PHYTOMETRA Haworth, 1809
 8480 *ernestinana* (Blanchard, 1840). Divisions 5, 6, early May-August
 8481 *rhodarialis* (Walker, 1859). Divisions 4, 5, early June-late July
Catocalinae
PANGRAPTA Hübner, 1818
 8490 *decoralis* Hübner, 1818. Divisions 1, 2, 3, 4, early June-mid August
LEDAEA Druce, 1891
 8491 *perditalis* (Walker, 1859). Division 6, June-mid August
ISOGONA Guenée, 1852
 8493 *tenuis* (Grote, 1872). Division 6, early June-mid August
METALECTRA Hübner, 1823
 8499 *discalis* (Grote, 1876). Divisions 5, 6, early July-late August
 8500 *quadrisignata* (Walker, 1858). Statewide, late June-late July
 8502 *tantillus* (Grote, 1875). Division 6. mid June-mid August
SCOЛЕCOCAMPA Guenée, 1852
 8514 *liburna* (Geyer, 1837). Division 6, July
PLUSIODONTA Guenée, 1852
 8534 *compressipalpis* Guenée, 1852. Division 6, late May-mid August
CALYPTRA Ochsenheimer
 8536 *canadensis* (Bethune, 1865). Statewide, late May-late August
EUDOCIMA Billberg, 1820
 8543 *materna* (Linnaeus, 1767). Division 1, mid September
ANOMIS Hübner, 1821
 8545 *erosa* Hübner, 1821. Division 6, mid October
ALABAMA Grote, 1895
 8554 *argillacea* (Hübner, 1823). Divisions 2, 5, 6, October
SCOLIOPTERYX Germar, 1810
 8555 *libatrix* (Linnaeus, 1758). Statewide, mid April-mid October
ANTICARSIA Hübner, 1818
 8574 *gemmaialis* Hübner, 1818. Divisions 2, 4, 5, mid October
PANOPODA Guenée, 1852
 8587 *rufimargo* (Hübner, 1818). Divisions 2, 4, 5, 6, late June-late July
 8588 *carneicosta* Guenée, 1852. Divisions 5, 6, July

- PHOBERIA* Hübner, 1818
- 8591 *atomaris* Hübner, 1818. Divisions 4, 5, 6, mid April-mid May
 - 8591.1 *orthosiooides* (Guenée, 1852). Divisions 4, 6, mid April-mid May
- CISSUSA* Walker, 1856
- 8592 *spadix* (Cramer, 1780). Divisions 5, 6, late April-mid May
- MELIPODIS* Hübner, 1818
- 8598 *perpendicularis* (Guenée, 1852). Division 3, late July
- DRASTERIA* Hübner, 1818
- 8618a *graphica atlantica* Barnes & McDunnough, 1918. Divisions 1, 2, 3, 4, 6, mid May-late June
 - 8641 *grandirena* (Haworth, 1809). Divisions 2, 3, 4, June
- THYSANIA* Dalman, 1824
- 8647 *zenobia* (Cramer, 1777). Divisions 3, 5, early September-October
- ASCALAPHA* Hübner, 1809
- 8649 *odorata* (Linnaeus, 1758). Divisions 2, 3, 5, 6, early July-late September
- LESMONE* Hübner, 1818
- 8651 *detrahrens* (Walker, 1858). Divisions 5, 6, late June-late August
- ZALE* Hübner, 1818
- 8689 *lunata* (Drury, 1773). Statewide, late July-late October
 - 8692 *galbanata* (Morrison, 1876). Statewide, mid May-early September
 - 8694 *aeruginosa* (Guenée, 1852). Divisions 1, 2, 3, 4, late May-mid June
 - 8695 *undularis* (Drury, 1773). Statewide, mid May-mid July
 - 8697 *minerea* (Guenée, 1852). Statewide, late April-early June
 - 8698 *phaeocapna* Franclemont, 1950. Divisions 2, 6, May
 - 8699 *obliqua* (Guenée, 1852). Divisions 2, 4, 6, late May-early June
 - 8702 *submediana* Strand, 1917. Divisions 2, 4, late May-early June
 - 8703 *duplicata* (Bethune, 1865). Divisions 2, 4, 6, mid May-mid June
 - 8704 *helata* (J. B. Smith, 1908). Statewide, early May-mid June
 - 8707 *metatoides* McDunnough, 1943. Divisions 2, 4, 6, mid April-mid June
 - 8713 *lunifera* (Hübner, 1818). Statewide, late April-early June
 - 8716 *unilineata* (Grote, 1876). Statewide, late April-May
 - 8717 *horrida* Hübner, 1818. Statewide, late May-late June
- EUPARTHENOS* Grote, 1876
- 8719 *nubilis* (Hübner, 1823). Statewide, June-mid August
- PARALLELIA* Hübner, 1818
- 8727 *bistriaris* Hübner, 1818. Statewide, mid May-July
- EUCLIDIA* Ochsenheimer, 1816
- 8731 *cuspidea* (Hübner, 1818). Statewide, mid May-early July
- CAENURGINA* McDunnough, 1937
- 8738 *crassiuscula* (Haworth, 1809). Statewide, late April-September
 - 8739 *erechtea* (Cramer, 1780). Statewide, late April-early November
- MOCIS* Hübner, 1823
- 8743 *latipes* (Guenée, 1852). Divisions 2, 3, mid September-mid October
 - 8745 *texana* (Morrison, 1875). Divisions 4, 5, 6, mid May-mid October
- CELIPTERA* Guenée, 1852
- 8747 *frustulum* Guenée, 1852. Division 6, late May-late August
- PTICHODIS* Hübner, 1818
- 8751 *bistrigata* Hübner, 1818. Division 6, mid May

ARGYROSTROTIS Hübner, 1821

8764 *anilis* (Drury, 1773). Statewide, mid June-mid July

SPILOLOMA Grote, 1873

8769 *lunilinea* Grote, 1873. Division 6, late June-mid August

CATOCALA Schrank, 1802

8770 *innubens* Guenée, 1852. Divisions 5, 6, early July-early September

8771 *piatrix* Grote, 1864. Divisions 5, 6, early August-mid September

8773 *epione* (Drury, 1773). Divisions 5, 6, mid-July-mid August

8775 *antinympha* (Hübner, 1823). Divisions 1, 2, 3, 4, late July-late September

8776 *coelebs* Grote, 1874. Divisions 1, 3, early August

8778 *habilis* Grote, 1872. Divisions 5, 6, mid August-mid September

8779 *serena* Edwards, 1864. Divisions 5, 6, mid July-mid August

8781 *judith* Strecker, 1874. Divisions 5, 6, mid July-mid August

8784 *obscura* Strecker, 1873. Divisions 5, 6, early August-early September

8785 *residua* Grote, 1874. Divisions 5, 6, mid July-late August

8788 *rectecta* Grote, 1872. Divisions 5, 6, August-mid September

8791 *insolabilis* Guenée, 1852. Division 6, mid July

8792 *vidua* (J. E. Smith, 1797). Divisions 5, 6, late August-mid September

8793 *maestosa* Hulst, 1884. Division 5, late August

8794 *lacrymosa* Guenée, 1852. Divisions 3, 5, late July-late August

8795 *palaeogama* Guenée, 1852. Divisions 5, 6, mid July-early September

8796 *nebulosa* Edwards, 1864. Division 6, late July-late August

8797 *subnata* Grote, 1864. Divisions 5, 6, Late July-August

8798 *neogama* (J. E. Smith, 1797). Divisions 5, 6, mid July-early September

8801 *ilia* (Cramer, 1776). Statewide, early July-September

8802 *cerogama* Guenée, 1852. Statewide, mid July-early September

8803 *relicta* Walker, 1858. Statewide, early August-early October

8805 *unijuga* Walker, 1858. Statewide, August-early September

8806 *parta* Guenée, 1852. Statewide, mid July-mid September

8808 *luciana* Strecker, 1874. Divisions 5, 6, late July-mid September

8817 *briseis* Edwards, 1864. Divisions 1, 2, 3, August, mid September

8821 *semirelicta* Grote, 1874. Divsions 1, 2, 3, early August-early September

8822 *meskei* Grote, 1873. Divisions 3, 4, 5, 6, August

8829 *junctura* Walker, 1858. Divisions 5, 6, mid July

8832 *cara* Guenée, 1852. Divisions 3, 4, 5, 6, early August-mid September

8833 *concumbens* Walker, 1858. Statewide, late July-mid September

8834 *amatrix* (Hübner, 1809-13). Divisions 3, 5, 6, early August-mid September

8840 *illecta* Walker, 1858. Division 6, late June-mid July

8841 *abbreviatella* Grote, 1872. Divisions 4, 5, 6, early July

8842 *nuptialis* Walker, 1858. Division 6, August

8843 *whitneyi* Dodge, 1874. Divisions 4, 5, 6, mid July-early August

8844 *amestris* Strecker, 1874. Divisions 4, 5, 6, mid July-early August

8846 *sordida* Grote, 1877. Divisions 1, 2, 4, mid July-late August

8851 *coccinata* Grote, 1872. Statewide, mid July-late August

8857 *ultronia* (Hübner, 1823). Statewide, early July-mid August

8858 *crataegi* Saunders, 1876. Divisions 2, 3, 5, 6, July

8863 *mira* Grote, 1876. Divisions 2, 5, 6, early July-early August

8864 *grynea* (Cramer, 1780). Statewide, late July-late August

- 8865 *praeclarata* Grote & Robinson, 1866. Divisions 1, 2, 3, 4, 5, late July-late August
 8867 *blandula* Hulst, 1884. Statewide, early July-mid August
 8872 *clintoni* Grote, 1864. Divisions 5, 6, late June-mid July
 8873 *similis* Edwards, 1864. Statewide, July
 8874 *minuta* Edwards, 1864. Divisions 5, 6, July
 8876 *micronympha* Guenée, 1852. Divisions 4, 5, 6, early July-early August
 8877 *connubialis* Guenée, 1852. Divisions 4, 6, July-late August
 8878 *amica* (Hübner, 1818). Statewide, mid July-mid August
 8878.1 *lineella* Grote, 1872. Statewide, mid July-mid August
- Plusiinae**
- ABROSTOLA** Ochsenheimer, 1816
- 8880 *ovalis* Guenée, 1852. Divisions 5, 6, late May-early June
 8881 *urentis* Guenée, 1852. Statewide, mid May-mid August
- ARGYROGRAMMA** Hübner, 1823
- 8885 *verruca* (Fabricius, 1794). Division 5, late September
- TRICHOPLUSIA** McDunnough, 1944
- 8887 *ni* (Hübner, 1800-03). Divisions 4, 5, 6, late June-early September
- CTENOPLUSIA** Dufay, 1970
- 8889 *oxygramma* (Geyer, 1832). Divisions 5, 6 late August-early September
- PSEUDOPLUSIA** McDunnough, 1944
- 8890 *includens* (Walker, 1858). Divisions 3, 5, 6, mid September-early October
- RACHIPLUSIA** Hampson, 1813
- 8895 *ou* (Guenée, 1852). Divisions 1, 2, 4, 5, early September-mid October
- DIACHRYSIA** Hübner, 1821
- 8896 *aereoides* (Grote, 1864). Divisions 1, 2, 3, 4, July-early August
 8897 *balluca* Geyer, 1832. Statewide, July-mid August
- ALLAGRAPHA** Franclemont, 1964
- 8898 *aerea* (Hübner, 1802-03). Statewide, mid June-early September
- PSEUDEVA** Hampson, 1913
- 8899 *purpurigera* (Walker, 1858). Statewide, late June-late July
- CHRYSANYMPHA** Grote, 1896
- 8904 *formosa* (Grote, 1865). Divisions 1, 2, 4, late June-July
- EOSPHOROPTERYX** Dyar, 1902
- 8905 *thyatiroides* (Guenée, 1852). Statewide, mid July-late August
- MEGALOGRAPHA** Lafontaine & Poole, 1991
- 8907 *biloba* (Stephens, 1830). Statewide, mid May-mid September
- AUTOGRAPHHA** Hübner, 1821
- 8908 *precationis* (Guenée, 1852). Statewide, late May-early October
 8909 *rubida* Ottolengui, 1902. Division 2, late May-late June
 8911 *bimaculata* (Stephens, 1830). Division 2, July
 8912 *mappa* (Grote & Robinson, 1868). Division 2, early June-early July
 8914 *californica* (Speyer, 1875). Divisions 2, 4, 5, late June-late August
 8916 *flagellum* (Walker, 1858). Division 1, late June-early July
 8923 *ampla* (Walker, 1858). Statewide, late June-late July
- ANAGRAPHA** McDunnough, 1944
- 8924 *falcifera* (Kirby, 1837). Statewide, late May-mid October
- SYNGRAPHHA** Hübner, 1821

- 8926 *octoscripta* (Grote, 1874). Divisions 1, 2, 3, mid July-August
 8927 *epigaea* (Grote, 1875). Divisions 1, 2, 3, 4, early July-mid August
 8928 *selecta* (Walker, 1858). Divisions 1, 2, late August
 8929 *viridisigma* (Grote, 1874). Divisions 2, 3, late July-August
 8939 *alias* (Ottolengui, 1902). Division 2, early July-early August
 8940 *abstrusa* Eichlin, 1978. Division 2. July
 8941 *cryptica* Eichlin, 1978. Divisions 1, 2, July
 8942 *rectangula* (Kirby, 1837). Divisions 1, 2, 3, late June-mid August
 8945 *montana* (Packard, 1869). Division 2, early June-early July
 8946a *microgamma nearctica* Ferguson, 1955. Divisions 1, 2, mid June
- PLUSIA* Ochsenheimer, 1816
- 8950 *putnami* Grote, 1873. Divisions 1, 2, 3, 4, 5, mid June-early September
 8952 *contexta* Grote, 1873. Divisions 5, 6, early June-mid September
 8953 *venusta* Walker, 1865. Divisions 1, 2, 3, 4, 5, mid June-mid August
- Euteliinae**
- MARATHYSSA* Walker, 1865
- 8955 *inficita* (Walker, 1865). Divisions 5, 6, mid June-early August
 8956 *basalis* Walker, 1865. Divisions 5, 6, May
- PAECTES* Hübner, 1818
- 8957 *oculatrix* (Guenée, 1852). Divisions 5, 6, mid June-late August
- Sarrothripinæ**
- BAILEYA* Grote, 1895
- 8969 *doubledayi* (Guenée, 1852). Statewide, late May-late July
 8970 *ophthalmica* (Guenée, 1852). Statewide, June
 8971 *dormitans* (Guenée, 1852). Divisions 5, 6, late May-late June
 8972 *levitans* (J. B. Smith, 1906). Divisions 5, 6, mid May-early June
 8973 *australis* (Grote, 1881). Division 6, late June-late August
- NYCTEOLA* Hübner, 1822
- 8975 *frigidana* (Walker, 1863). Division 2, late May
- Nolinae**
- MEGANOLA* Dyar, 1898
- 8983 *minuscula* (Zeller, 1872) . Statewide, late May-mid August
 8983.1 *phylla* (Dyar, 1898). Division 5, late July
 8983.2 *spodia* Franclemont, 1985. Divisions 4, 5, late June
- NOLA* Leach, 1815
- 8990 *cilicoides* (Grote, 1873). Statewide, early June-mid August
 8992 *triquetra* (Fitch, 1856). Divisions 3, 4, May
- Acontiinae**
- EXYRA* Grote, 1875
- 9021 *fax* (Grote, 1873). Divisions 1, 2, 3, late June-early August
- ORUZA* Walker, 1862
- 9025 *albocostaliata* (Packard, 1876). Division 6, July-early September
- HYPERSTROTIA* Hampson, 1910
- 9038 *villificans* (Barnes & McDunnough, 1918). Divisions 2, 6, mid June-mid July
 9040 *secta* (Grote, 1879). Division 4, 5, 6, late June-late August
- THIOPTERA* Franclemont, 1950
- 9044 *nigrofimbria* (Guenée, 1852). Divisions 3, 5, late September
- LITHACODIA* Hübner, 1818

- 9046 *bellicula* Hübner, 1818. Statewide, late May-early September
 9047 *muscosula* (Guenée, 1852). Statewide, early June-mid July
 9048 *albidula* (Guenée, 1852). Statewide, late June-early August
 9051 *musta* (Grote & Robinson, 1868). Divisions 4, 5, early September
- PSEUDEUSTROTIA* Warren, 1913
- 9053 *carneola* (Guenée, 1852). Statewide, June-August
- MALIATTHA* Walker, 1863
- 9055.1 *synochitis* (Grote & Robinson, 1868). [formerly 9049] Statewide, mid June-mid August
 9055.2 *concinnimacula* (Guenée, 1852). [formerly 9050] Division 2, late May-mid June
- ANTERASTRIA* Sugi, 1982
- 9055.3 *teratophora* Herrich-Schäffer, 1854. [formerly 9284] Statewide, early June-mid August
- HOMOPHOBERIA* Morrison, 1875
- 9057 *apicosa* (Haworth, 1809). Statewide, late June-late August
- CAPIS* Grote, 1882
- 9059 *curvata* Grote, 1882. Statewide, July-mid August
- CERMA* Hübner, 1818
- 9061 *cora* Hübner, 1818. Divisions 2, 4, 5, 6, mid May-early June
 9062 *cerintha* (Treitschke, 1826). Divisions 3, 5, 6, mid June-mid July
- LEUCONYCTA* Hampson, 1909
- 9065 *diphtheroides* (Guenée, 1852). Statewide, mid May-late June
 9066 *lepidula* (Grote, 1874). Statewide, late May-early June
- AMYNA* Guenée, 1852
- 9070 *octo* (Guenée, 1852). Divisions 4, 5, 6, late August-early October
- TARACHIDIA* Hampson, 1898
- 9085 *semiflava* (Guenée, 1852). Divisions 4, 5, mid June-mid July
 9088 *virginalis* (Grote, 1881). Division 6, early August
 9089 *binocula* (Grote, 1875). Divisions 5, 6, late May-mid August
 9090 *candefacta* (Hübner, 1831). Statewide, early June-mid August
 9095 *erastrioides* (Guenée, 1852). Statewide, early June-late August
 9101 *tortricina* (Zeller, 1872). Divisions 5, 6, early June-late August
- SPRAGUEIA* Grote, 1875
- 9127 *leo* (Guenée, 1852). Division 6, mid August
- ACONTIA* Ochsenheimer, 1816
- 9136 *aprifica* (Hübner, 1802). Division 5, early September
 9145 *terminimaculata* (Grote, 1873). Division 6, late June-late July
- BAGISARA* Walker, 1858
- 9169 *rectifascia* (Grote, 1874). Divisions 4, 5, 6, late June-early August
 9175 *gulnare* (Strecker, 1880). Division 5, mid-July-mid August
- Pantheinae**
- PANTHEA* Hübner, 1820
- 9177 *acronyctoides* (Walker, 1861). Divisions 2, 3, 4, early June-mid August
 9182 *furcilla* (Packard, 1864). Statewide, June-mid August
- COLOCASIA* Ochsenheimer, 1816
- 9184 *flavicornis* (J. B. Smith, 1884). Division 2, late April-mid May
 9185 *propinquilinea* (Grote, 1873). Divisions 2, 4, 6, mid May-late June

CHARADRA Walker, 1865

9189 *deridens* (Guenée, 1852). Statewide, mid May-late August

RAPHIA Hübner, 1821

9193 *frater* Grote, 1864. Statewide, late May-mid July

Acroneictinae

ACRONICTA Ochsenheimer, 1816

9199 *rubicoma* Guenée, 1852. Division 6, mid May-mid July

9200 *americana* (Harris, 1841). Statewide, June-early August

9203 *dactylina* Grote, 1874. Statewide, mid June-July

9205 *lepusculina* Guenée, 1852. Statewide, late May-June

9206 *leporina* (Linnaeus, 1758). Division 2, late June-early July

9207 *innotata* Guenée, 1852. Divisions 1, 2, 3, 4, June-mid July

9208 *betulae* Riley, 1884. Division 6, June-mid August

9209 *radcliffei* (Harvey, 1875). Divisions 2, 6, mid May-mid July

9211 *tritona* (Hübner, 1818). Divisions 1, 2, 4, late May-late August

9212 *grisea* Walker, 1856. Divisions 1, 2, 3, 4, late May-late July

9214 *facula* (Grote, 1877). Divisions 4, 6, late May-late August

9219 *connecta* Grote, 1873. Divisions 4, 5, 6, late June-mid August

9221 *funeralis* Grote & Robinson, 1866. Divisions 2, 6, June-late July

9224 *quadrata* Grote, 1874. Division 2, June

9225 *vinnula* (Grote, 1864). Divisions 5, 6, mid May-mid June

9226 *superans* Guenée, 1852. Divisions 1, 2, 3, 4, 6, late May-mid July

9227 *laetifica* J. B. Smith, 1897. Statewide, late May-late June

9229 *hasta* Guenée, 1852. Statewide, mid May-June

9235 *spinigera* Guenée, 1852. Divisions 2, 3, 5, 6, mid May-late August

9236 *morula* Grote & Robinson, 1868. Divisions 2, 4, 5, 6, mid May-late August

9237 *interrupta* Guenée, 1852. Divisions 2, 4, 6, mid May-mid August

9238 *lobeliae* Guenée, 1852. Statewide, mid May-mid July

9241 *fragilis* (Guenée, 1852). Divisions 1, 2, 5, 6, mid May-mid June

9242 *exilis* Grote, 1874. Divisions 2, 4, 6, mid June-early August

9243 *ovata* Grote, 1873. Divisions 4, 5, 6, mid June-late July

9244 *modica* Walker, 1856. Divisions 4, 5, 6, early June-early July

9245 *haesitata* (Grote, 1882). Statewide, late May-mid July

9247 *tristis* J. B. Smith, 1911. Statewide, mid June-mid July

9249 *increta* Morrison, 1874. Divisions 2, 4, 5, 6, late May-July

9251 *retardata* (Walker, 1861). Divisions 2, 6, mid May-early August

9254 *afflicta* Grote, 1864. Statewide, late June-mid August

9257 *impleta* Walker, 1856. Divisions 1, 2, 4, 6, mid May-mid June

9258 *sperata* Grote, 1873. Divisions 2, 4, mid May-mid June

9259 *noctivaga* Grote, 1864. Divisions 1, 2, mid May-mid June

9261 *impressa* Walker, 1856. Statewide, mid May-mid August

9264 *longa* Guenée, 1852. Divisions 2, 4, late May-late June

9266 *lithospila* Grote, 1874. Divisions 4, 5, 6, early June-early August

9272 *oblinita* (J. E. Smith, 1797). Statewide, mid May-early August

9274 *lanceolaria* (Grote, 1875). Division 2, late May

MEROLONCHE Grote, 1882

9277 *dolli* Barnes & McDunnough, 1918. Divisions 2, 4, mid May

SIMYRA Ochsenheimer, 1816

- 9280 *henrici* (Grote, 1873). Statewide, June-mid September
AGRIOPEDES Hampson, 1908
 9281 *fallax* Herrich-Schäffer, 1854. Divisions 1, 2, 5, 6, mid May-mid August
HARRISIMEMNA Grote, 1873
 9286 *trisignata* (Walker, 1856). Statewide, mid June-mid July
Agaristinae
EUDRYAS Boisduval, 1836
 9299 *unio* (Hübner, 1827-31). Divisions 4, 5, 6, early July-mid August
 9301 *grata* (Fabricius, 1793). Divisions 5, 6, late June-mid July
PSYCHOMORPHA Harris, 1839
 9309 *epimenis* (Drury, 1782). Divisions 5, 6, early May
ALYPIA Hübner, 1818
 9314 *octomaculata* (Fabricius, 1775). Divisions 5, 6, late June-early July
 9318 *langtoni* Couper, 1865. Division 2, early June
Amphipyrinae
APAMEA Ochsenheimer, 1816
 9326 *verbascoides* (Guenée, 1852). Statewide, late June-July
 9328 *nigrior* (J. B. Smith, 1891). Divisions 5, 6, mid-June
 9329 *cariosa* (Guenée, 1852). Divisions 4, 6, early July
 9331 *cristata* (Grote, 1878). Division 2, early July
 9333 *lignicolora* (Guenée, 1852). Statewide, July
 9341 *vultuosa* (Grote, 1875). Statewide, mid June-early July
 9343 *apamiformis* (Guenée, 1852). Divisions 2, 3, 5, July
 9344 *plutonia* (Grote, 1883). Division 2, mid July
 9348 *amputatrix* (Fitch, 1857). Divisions 1, 2, 3, late June-late July
 9351 *alia* (Guenée, 1852). Divisions 2, 3, 4, 6, mid June-early July
 9353 *inordinata* (Morrison, 1875). Divisions 3, 4, early June-mid July
 9359 *commoda* (Walker, 1857). Division 2, late June-early July
 9360 *impulsa* (Guenée, 1852). Divisions 2, 4, 6, late June-late July
 9361 *mixta* (Grote, 1881). Division 2, late July-early August
 9362 *remissa indocilis* (Walker, 1856). Divisions 1, 2, July
 9362.1 *ophiogramma* (Esper, 1793). Divisions 2, 3, early July
 9364 *sordens* (Hufnagel, 1766). Statewide, June
 9365 *lateritia* (Hufnagel, 1766). Divisions 1, 2 early July
 9367 *dubitans* (Walker, 1856). Statewide, early July-late August
 9367.1 *cogitata* (J. B. Smith, 1891). Division 2, early July
 9372 *lutosa* (Andrews, 1877). Divisions 2, 5, 6, early July
 9373 *helva* (Grote, 1875). Statewide, early August-late September
 9374 *niveivenosa* (Grote, 1879). Divisions 1, 2, 4, 5, late July-early August
 9378 *burgessi* (Morrison, 1874). Divisions 5, 6, early September
 9380 *relicina* (Morrison, 1875). Divisions 4, 6, late August-late September
 9382 *devastator* (Brace, 1819). Statewide, early July-September
LUPERINA Boisduval, 1828
 9391 *passer* (Guenée, 1852). Divisions 1, 2, 5, late June-July
 9393 *stipata* (Morrison, 1875). Divisions 4, 5, 6, early August-early September
EREMOBINA McDunnough, 1937
 9396 *claudens* (Walker, 1857). Division 2, late July-mid August
 9398 *jocasta* (J. B. Smith, 1900). Divisions 1, 2, 3, 4, 5, late Jul-mid August

- OLIGIA* Hübner, 1821
- 9402 *chlorostigma* (Harvey, 1876). Division 6, early July
 - 9404 *modica* (Guenée, 1852). Statewide, August
 - 9406 *fractilinea* (Grote, 1874). Divisions 4, 5, 6, late July-late August
 - 9408 *exhausta* (J. B. Smith, 1903). Statewide, late July
 - 9409 *hausta* (Grote, 1882). Division 3, mid July
 - 9410 *crytora* Franclemont, 1950. Division 2, late June-early July
 - 9413 *tonsa* (Grote, 1880). Statewide, early July-mid August
 - 9415 *bridghami* (Grote & Robinson, 1866). Divisions 1, 2, 3, 4, late July-mid August
 - 9416 *minuscula* (Morrison, 1874). Divisions 1, 2, early August-early September
 - 9418 *obtusa* (J. B. Smith, 1902). Division 1, late August-early September
 - 9419 *mactata* (Guenée, 1852). Statewide, late August-early October
 - 9420 *ilocata* (Walker, 1857). Statewide, September
- MEROPLEON* Dyar, 1924
- 9427 *diversicolor* (Morrison, 1874). Statewide, late August-late September
 - 9428 *ambifuscum* (Newman, 1948). Statewide, late August-late September
- LEMMERIA* Barnes & Benjamin, 1926
- 9429 *digitalis* (Grote, 1882). Divisions 2, 4, 5, late September-mid October
- SELICANIS* J. B. Smith, 1900
- 9430 *cinereola* J. B. Smith, 1900. Division 4, early September-early October
- PARASTICHTIS* Hübner, 1821
- 9431 *suspecta* (Hübner, 1817). Divisions 1, 2, 3, early July-early August
- XYLOMOIA* Staudinger, 1892
- 9433 *chagnoni* Barnes & McDunnough, 1917. Statewide, late June-late July
- SPARTINIPHAGA* McDunnough, 1937
- 9434 *includens* (Walker, 1858). Divisions 5, 6, July
 - 9435 *inops* (Grote, 1881). Divisions 3, 4, 5, 6, mid August-mid September
 - 9436 *panatela* (J. B. Smith, 1904). Statewide, mid June-mid July
- CHORTODES* Tutt, 1897
- 9437 *inquinata* (Guenée, 1852). Statewide, late July-mid August
 - 9439 *basistriga* (McDunnough, 1933). Division 2, late August-early September
 - 9441 *enervata* (Guenée, 1852). Divisions 4, 5, early August
 - 9443 *defecta* (Grote, 1874). Divisions 1, 2, 3, 4, 5, August
- ARCHANARA* Walker, 1866
- 9449 *oblonga* (Grote, 1882). Divisions 4, 5, 6, mid August-mid September
 - 9450 *subflava* (Grote, 1882). Divisions 1, 2, 4, 5, late July-mid August
 - 9451 *laeta* (Morrison, 1875). Divisions 3, 4, 5, 6, mid August-early September
- MACRONOCTUA* Grote, 1874
- 9452 *onusta* Grote, 1874. Divisions 2, 3, 4, 5, early September-early October
- CELAENA* Stephens, 1829
- 9453 *reniformis* (Grote, 1874). Statewide, mid July-mid September
- AMPHIPOEA* Billberg, 1820
- 9454 *velata* (Walker, 1865). Statewide, late June-late August
 - 9456 *interoceanica* (J. B. Smith, 1899). Divisions 1, 2, 3, 5, late July-mid August
 - 9457 *americana* (Speyer, 1875). Statewide, mid July-mid August
- PAPAIPEMA* J. B. Smith, 1899
- 9464 *cerina* (Grote, 1874). Divisions 4, 5, 6, late August-mid October

- 9466 *cataphracta* (Grote, 1864). Statewide, early September-early October
 9471 *arctivorens* Hampson, 1910. Statewide, late August-mid September
 9472 *harrisii* (Grote, 1881). Divisions 4, 5, late August-mid September
 9473 *impecuniosa* (Grote, 1881). Statewide, early September-early October
 9478 *leucostigma* (Harris, 1841). Divisions 2, 3, 4, 6, late August-late September
 9479 *lysimachiae* Bird, 1914. Statewide, late August-early September
 9480 *pterisii* Bird, 1907. Divisions 1, 2, 3, 4, late August-September
 9482 *speciosissima* (Grote & Robinson, 1868). Division 4, late August-September
 9483 *inquaesita* (Grote & Robinson, 1868). Statewide, late August-September
 9484 *rutila* (Guenée, 1852). Division 6, mid September-mid October
 9485 *baptisiae* (Bird, 1902). Divisions 4, 5, 6, late August-September
 9486 *birdi* (Dyar, 1908). Divisions 5, 6, mid August-mid September
 9490 *nepheleptena* (Dyar, 1908). Divisions 4, 5, 6, late August-mid September
 9491 *circumlucens* (J. B. Smith, 1899). Divisions 1, 4, 5, 6, early August-September
 9492 *marginidens* (Guenée, 1852). Division 6, mid October
 9493 *appassionata* (Harvey, 1876). Divisions 1, 2, 3, 4, late August-early September
 9495 *furcata* (J. B. Smith, 1899). Statewide, late August-late September
 9496 *nebris* (Guenée, 1852). Divisions 4, 5, 6, late August-early October
 9497 *necopina* (Grote, 1876). Divisions 4, 5, 6, late August-mid September
 9498 *silphii* Bird, 1915. Division 5, late August-late September
 9500 *maritima* Bird, 1909. Divisions 4, 5, 6, early September-early October
 9501 *eupatorii* (Lyman, 1905). Divisions 3, 4, 5, 6, early September-early October
 9502 *nelita* (Strecker, 1898). Divisions 4, 5, 6, late August
 9503 *rigida* (Grote, 1877). Divisions 4, 5, 6, late August-early October
 9506 *sciata* Bird, 1908. Divisions 4, 5, 6, mid September-mid October
 9508 *beeriana* Bird, 1923. Divisions 4, 5, early September-early October
 9509 *unimoda* (J. B. Smith, 1984). Divisions 1, 3, 4, 5, 6, late August-early October
- HYDRAECIA** Guenée, 1841
- 9513 *immanis* Guenée, 1852. Divisions 4, 5, 6, late August-early October
 - 9514 *micacea* (Esper, 1789). Statewide, August
 - 9516 *stramentosa* Guenée, 1852. Statewide, mid August-mid September
- ACHATODES** Guenée, 1852
- 9520 *zeae* (Harris, 1841). Divisions 4, 5, 6, mid July-mid August
- IODOPEPLA** Franclemont, 1964
- 9522 *u-album* (Guenée, 1852). Divisions 4, 5, late May-early August
- BELLURA** Walker, 1865
- 9523 *gortynoides* Walker, 1865. Divisions 1, 2, 3, early June-mid August
 - 9524 *brehmei* (Barnes & McDunnough, 1916). Division 2, mid June
 - 9525 *obliqua* (Walker, 1865). Statewide, late May-late June
 - 9526 *densa* (Walker, 1865). Divisions 4, 6, late June-mid September
- EUPLEXIA** Stephens, 1829
- 9545 *benesimilis* McDunnough, 1922. Statewide, early June-mid August
- PHLOGOPHORA** Treitschke, 1825
- 9546 *iris* Guenée, 1852. Statewide, early June-early July
 - 9547 *periculosa* Guenée, 1852. Statewide, August
- CONSERVULA** Grote, 1874
- 9548 *anodonta* (Guenée, 1852). Divisions 1, 2, 4, July
- ENARGIA** Hübner, 1821

- 9549 *decolor* (Walker, 1858). Divisions 1, 2, 3, 4, early August-late September
 9550 *infumata* (Grote, 1874). Divisions 2, 4, early August
 9551 *mephisto* Franclemont, 1939. Statewide, July
IPIMORPHA Hübner, 1821
 9555 *pleunectusa* Grote, 1873. Divisions 2, 3, 4, 5, August-early September
CHYTONIX Grote, 1874
 9556 *palliatricula* (Guenée, 1852). Statewide, early June-mid August
 9557 *sensilis* Grote, 1881. Divisions 2, 4, mid July-mid August
DYPTERYGIA Stephens, 1829
 9560 *rozmani* Berio, 1974. Divisions 4, 5, 6, mid June-mid August
HYPPA Duponchel, 1845
 9578 *xylinooides* (Guenée, 1852). Statewide, early June-late August
NEDRA Clarke, 1940
 9582 *ramosula* (Guenée, 1852). Divisions 3, 4, 5, 6, early May-mid August
PROPERIGEA Barnes & Benjamin, 1926
 9589 *costa* (Barnes & Benjamin, 1923). Division 6, late July-early August
PHOSPHILA Hübner, 1818
 9619 *miselloides* (Guenée, 1852). Divisions 5, 6, early June-early August
TRACHEA Ochsenheimer, 1816
 9626 *delicata* (Grote, 1874). Divisions 3, 5, 6, mid July-late August
FAGITANA Walker, 1865
 9629 *littera* (Guenée, 1852). Divisions 3, 4, 5, mid June-early July
CALLOPISTRIA Hübner, 1821
 9631 *mollissima* (Guenée, 1852). Statewide, early June-mid August
 9633 *cordata* (Ljungh, 1825). Divisions 1, 2, 3, 4, mid June-mid August
MAGUSA Walker, 1857
 9637 *orbifera* (Walker, 1857). Statewide, early August-late October
AMPHIPYRA Ochsenheimer, 1816
 9638 *pyramidooides* Guenée, 1852. Statewide, early August-late October
 9639 *tragopoginis* (Clerck, 1759). Statewide, mid July-late September
 9640 *glabella* (Morrison, 1874). Divisions 2, 5, 6, mid June-July
ATHETIS Hübner, 1821
 9647 *miranda* (Grote, 1873). Statewide, late May-mid August
 9649 *mendosa* (McDunnough, 1927). Divisions 1, 4 early July-late August
ANORTHODES Smith, 1891
 9650 *tarda* (Guenée, 1852). Division 6, late May
CARADRINA Ochsenheimer, 1816
 9654 *meralis* (Morrison, 1875). Divisions 2, 3, 4, 6, mid August-mid September
 9656 *extima* (Walker, 1865). Divisions 1, 5, early July-August
 9657 *multifera* (Walker, 1857). Divisions 1, 2, 3, late August
CRAMBODES Guenée, 1852
 9661 *talidiformis* Guenée, 1852. Divisions 4, 5, 6, late May-late August
BALSA Walker, 1860
 9662 *malana* (Fitch, 1856). Divisions 3, 4, 5, early May-early August
 9663 *tristrigella* (Walker, 1866). Divisions 4, 5, 6, early June
 9664 *labecula* (Grote, 1880). Statewide, early June-mid July
SPODOPTERA Guenée, 1852
 9666 *frugiperda* (J. E. Smith, 1797). Statewide, mid August-mid October

- 9669 *ornithogalli* (Guenée, 1852). Divisions 3, 4, 5, 6, mid August-mid October
ELAPHRIA Hübner, 1818
- 9678 *versicolor* (Grote, 1875). Divisions 1, 2, 5, 6, early July-mid August
 9680 *georgii* (Moore & Rawson, 1939). Divisions 1, 2, 6, mid May-mid June
 9681 *festivoides* (Guenée, 1852) complex. Statewide, mid May-mid July
 9684 *grata* Hübner, 1818. Divisions 3, 5, 6, mid May-early September
- GALGULA* Guenée, 1852
- 9688 *partita* Guenée, 1852. Statewide, mid May-mid October
- PERIGEA* Guenée, 1852
- 9689 *xanthioides* Guenée, 1852. Division 6, early June
- CONDICA* Walker, 1856
- 9690 *videns* (Guenée 1852). Divisions 4, 5, 6, early June-mid August
 9696 *vecors* (Guenée, 1852). Statewide, early May-mid September
- OGDOCONTA* Butler, 1891
- 9720 *cinereola* (Guenée, 1852). Divisions 3, 4, 5, 6, late June-early September
- STIRIODES* Hampson, 1908
- 9725 *obtusa* Herrich-Schäffer, 1854. Division 6, late June-early July
- PLAGIOMIMICUS* Grote, 1873
- 9754 *pityochromus* Grote, 1873. Division 6, August
- COSMIA* Ochsenheimer, 1816
- 9815 *calami* (Harvey, 1876). Statewide, July-early August
- AMOLITA* Grote, 1874
- 9818 *fessa* Grote, 1874. Divisions 4, 5, late June-mid July
- Cuculliinae**
- XYLENA* Ochsenheimer, 1816
- 9873 *nupera* (Lintner, 1874). Divisions 2, 4, late September-mid April
 9874 *curvimacula* (Morrison, 1874). Statewide, mid September-early May
 9875 *thoracica* (Putnam-Cramer, 1886). Divisions 2, 4, mid September-mid April
 9876 *cineritia* (Grote, 1875). Divisions 2, 4, mid September-mid April
- LITHOMOIA* Hübner, 1821
- 9878 *germana* (Morrison, 1874). Divisions 1, 2, 3, 4, 5, late August-late September
- HOMOGLAEA* Morrison, 1876
- 9881 *hircina* Morrison, 1876. Divisions 2, 4, late March-late April
- LITHOLOMIA* Grote, 1875
- 9884 *napaea* (Morrison, 1874). Division 2, mid September-early May
- LITHOPHANE* Hübner, 1821
- 9885 *semiusta* Grote, 1874. Divisions 2, 4, 6, mid September-early May
 9886 *patefacta* (Walker, 1858). Divisions 2, 5, 6, October-April
 9887 *bethunei* (Grote & Robinson, 1868). Divisions 2, 4, 5, 6, late September-early April
 9887.1 *franclemonti* Metzler, 1998. Divisions 4, 6, October-April
 9888 *innominata* (J. B. Smith, 1893). Division 2, mid September-early April
 9889 *petulca* Grote, 1874. Divisions 1, 2, 6, late September-April
 9891 *amanda* (J. B. Smith, 1900). Divisions 2, 3, 6, mid September-mid April
 9892 *disposita* Morrison, 1874. Divisions 1, 2, 6, late September-early April
 9893 *hemina* Grote, 1874. Statewide, late September-April
 9894 *oriunda* Grote, 1874. Divisions 4, 6, late September-March
 9899.1 *near lemmeri* (Barnes & Benjamin, 1929). Division 2, mid October

- 9902 *baileyi* Grote, 1877. Division 2, late September-early May
 9904.1 near *querquera* Grote, 1874. Division 6, mid April
 9909 *tepidia* Grote, 1874. Divisions 2, 4, late September-mid April
 9910 *antennata* (Walker, 1858). Divisions 2, 4, 5, 6, late September-April
 9914 *laticinerea* Grote, 1874. Divisions 2, 5, October-March
 9915 *grotei* Riley, 1882. Divisions 2, 3, 6, October-April
 9916 *unimoda* (Lintner, 1878). Divisions 2, 4, 6, October-mid May
 9917 *fagina* Morrison, 1874. Dividsons 1, 2, 4, late September-early May
 9922 *pexata* Grote, 1874. Divisions 1, 2, 4, late September-mid May
 9928 *thaxteri* Grote, 1874. Divisions 2, 4, mid September-May
- PYREFERRA* Franclemont, 1937
 9929 *hesperidago* (Guenée, 1852). Divisions 2, 3, 5, 6, October-April
 9930 *citromba* Franclemont, 1941. Divisions 2, 3, 4, 6, late September-late April
 9932 *pettiti* (Grote, 1874). Divisions 2, 5, 6, late September-early May
- EUPSILIA* Hübner, 1821
 9933 *vinulenta* (Grote, 1864). Statewide, October-April
 9933.1 *sidus* (Guenée, 1852). Divisions 4, 5, 6, late September-mid April
 9933.2 n. sp. Schweitzer (near *sidus* (Guenée, 1852)). Divisions 4, 6, late September-mid April
 9935 *tristigmata* (Grote, 1877). Divisions 2, 4, 5, 6, October-late April
 9936 *morrisoni* (Grote, 1874). Divisions 2, 4, 6, October-late April
 9939 *devia* (Grote, 1875). Divisions 2, 4, 5, late October-late May
- XYSTOPEPLUS* Franclemont, 1937
 9942 *rufago* (Hübner, 1818). Divisions 4, 6, late September-mid May
- METAXAGLAEA* Franclemont, 1937
 9943 *inulta* (Grote, 1874). Divisions 3, 4, 5, 6, September-early October
- EPIGLAEA* Grote, 1878
 9946 *decliva* (Grote, 1874). Divisions 4, 5, 6, early October-early November
 9947 *apiata* (Grote, 1874). Divisions 1, 2, 4, early September-early October
- CHAETAGLAEA* Franclemont, 1943
 9948 *cerata* Franclemont, 1943. Divisions 2, 4, 6, late September-early October
 9950 *sericea* (Morrison, 1874). Divisions 2, 4, 6, late September-October
- PSECTRAGLAEA* Hampson, 1906
 9951 *carnosa* (Grote, 1877). Division 2, late September
- EUCIRROEDIA* Grote, 1875
 9952 *pampina* (Guenée, 1852). Statewide, September
- SUNIRA* Franclemont, 1950
 9957 *bicolorago* (Guenée, 1852). Statewide, mid September-early November
- ANATHIX* Franclemont, 1937
 9961 *ralla* (Grote & Robinson, 1868). Statewide, late August-late September
 9962 *puta* (Grote & Robinson, 1868). Divisons 2, 4, 5, 6, early September
 9963 *agressa* (J. B. Smith, 1907). Divisions 3, 5, 6, mid-September
- XANTHIA* Ochsenheimer, 1816
 9965 near *togata* (Esper, 1788). Statewide, mid-September-early October
- HILLIA* Grote, 1883
 9967 *iris* (Zetterstedt, 1839). Divisions 1, 3, 5, September
- PLATYPOLIA* Grote, 1895
 9976 *anceps* (Stephens, 1850). Divisions 2, 3, late September

- XYLOTYPE* Hampson, 1906
- 9979 *acadia* Barnes & Benjamin, 1922. Divisions 1, 2, 4, September
- SUTYNA* Todd, 1958
- 9989 *privata* (Walker, 1857). Divisions 1, 2, 4, 5, late August-late September
- PACHYPOLIA* Grote, 1874
- 9992 *atricornis* Grote, 1874. Divisions 2, 6, mid-September-mid October
- BRACHYLOMIA* Hampson, 1906
- 9998 *algens* (Grote, 1878). Divisions 1, 2, 3, 4, 5, late July-late August
- 9999 *discinigra* (Walker, 1856). Division 2, late August
- FERALIA* Grote, 1874
- 10005 *jocosa* (Guenée, 1852). Division 2, April
- 10007 *major* J. B. Smith, 1890. Divisions 2, 4, early April-early May
- 10008 *comstocki* (Grote, 1874). Divisions 1, 2, 3, 4, early April-early June
- BRACHIONYCHA* Hübner, 1819
- 10011 *borealis* (J. B. Smith, 1899). Divisions 2, 4, early April-early May
- PSAPHIDA* Walker, 1865
- 10012 *electilis* (Morrison, 1875). Divisions 5, 6, April
- 10013 *grandis* (J. B. Smith, 1898). Divisions 4, 5, 6, late March-late April
- 10014 *rolandi* (Grote, 1874). Divisions 2, 4, 6, late March-late April
- 10016 *styrcas* (Guenée, 1852). Divisions 4, 6, late March-mid April
- 10019 *resumens* Walker, 1865. Divisions 4, 6, late March-mid April
- 10020 *thaxteriana* (Grote, 1874). Divisions 4, 6, late March-early April
- COPIVALERIA* Grote, 1883
- 10021 *grotei* (Morrison, 1874). Divisions 2, 5, 6, April
- CATEBENA* Walker, 1865
- 10033 *lineolata* Walker, 1865. Divisions 3, 4, 5, 6, mid May-mid August
- APHARETRA* Grote, 1901
- 10055 *dentata* (Grote, 1875). Divisions 1, 2, 4, early July-early August
- HOMOHADENA* Grote, 1873
- 10059 *badistriga* (Grote, 1872). Divisions 3, 4, 5, 6, early July-early August
- 10065 *infixa* (Walker, 1856). Division 2, early July
- ADITA* Grote, 1874
- 10067 *chionanthi* (J. E. Smith, 1797). Division 6, late August-mid September
- ONCOCNEMIS* Lederer, 1853
- 10099 *saudersiana* Grote, 1876. Division 4, late August
- 10108 *viriditincta* J. B. Smith, 1894. Division 4, late August-mid September
- 10123 *piffardi* (Walker, 1862). Division 2, mid August
- 10135 *riparia* Morrison, 1875. Divisions 1, 2, 3, 4, 6, late June-late July
- LEPIPOLYS* Guenée, 1852
- 10154 *perscripta* Guenée, 1852. Division 4, late May-early June
- CUCULLIA* Schrank, 1802
- 10190 *speyeri* Lintner, 1874. Divisions 2, 6, mid July
- 10194 *intermedia* Speyer, 1870. Divisions 2, 3, mid June-early July
- 10197 *florea* Guenée, 1852. Divisions 2, 3, mid June-mid July
- 10198 *postera* Guenée, 1852. Division 2, early July-early August
- 10200 *asteroides* Guenée, 1852. Divisions 2, 3, 5, 6, mid July-early August
- 10202 *convexipennis* Grote & Robinson, 1868. Divisions 1, 2, 4, 6, July

Hadeninae

DISCESTRA Hampson, 1905

10223 *trifolii* (Hufnagel, 1766). Statewide, late May-late September

TRICHOCLEA Grote, 1883

10263 *artesta* (J. B. Smith, 1903). Divisions 3, 6, mid June-mid August

SIDERIDIS Hübner, 1821

10265 *rosea* (Harvey, 1874). Statewide, mid May-late June

10266 *congermana* (Morrison, 1874). Division 4, late May-early June

10268 *maryx* (Guenée, 1852). Divisions 1, 2, 4, late May-early June

POLIA Ochsenheimer, 1816

10275 *nimbosa* (Guenée, 1852). Divisions 1, 2, 3, July

10276 *imbrifera* (Guenée, 1852). Statewide, late June-July

10280 *purpurissata* (Grote, 1864). Statewide, late July-August

10288 *detracta* (Walker, 1857). Statewide, mid June-mid August

MELANCHRA Hübner, 1820

10292 *adjuncta* (Guenée, 1852). Statewide, early May-mid August

10293 *picta* (Harris, 1841). Divisions 3, 4, 5, 6, early June-late August

10294 *pulverulenta* (J. B. Smith, 1888). Divisions 1, 2, early June-early July

10295 *assimilis* (Morrison, 1874). Divisions 2, 3, 4, late May-early July

LACANOBLIA Billberg, 1820

10296 *nevadae* (Grote, 1876). Divisions 1, 2, June

10297 *atlantica* (Grote, 1874). Divisions 1, 2, 3, 4, 5, late May-mid August

10298 *radix* (Walker, 1857). Divisions 1, 2 June

10299 *subjuncta* (Grote & Robinson, 1868). Divisions 3, 4, 5, 6, early June-early September

SPIRAMETER McCabe, 1980

10300 *grandis* (Guenée, 1852). Divisions 1, 2, 3, 4, 6, mid May-June

10301 *lutra* (Guenée, 1852). Divisions 1, 2, 3, 4, late May-early July

TRICHLORDESTRA McCabe, 1980

10302 *rugosa* (Morrison, 1875). Divisions 1, 2, 4, June

10303 *tacoma* (Strecker, 1900). Divisions 1, 2, 3, late May-late June

10304 *legitima* (Grote, 1864). Statewide, early July-mid August

10307 *lilacina* (Harvey, 1874). Divisions 2, 3, 5, early July-early August

PAPESTRA Sukhareva, 1972

10310 *quadrata* (J. B. Smith, 1891). Division 2, late May-early June

10311 *biren* (Goeze, 1781). Division 2, mid June

HADENA Schrank, 1802

10317 *capsularis* (Guenée, 1852). Divisions 4, 6, June

ANARTA Ochsenheimer, 1816

10332 *luteola* Grote & Robinson, 1865. Division 2, late May

LACINIPOLIA McDunnough, 1937

10368 *meditata* (Grote, 1873). Statewide, mid August-mid September

10370 *lustralis* (Grote, 1875). Divisions 1, 2, 3, 4, late June-early July

10372 *anguina* (Grote, 1881). Divisions 1, 2, 3, 4, 6, late May-mid June

10394 *vicina* (Grote, 1874). Divisions 1, 2, 3, 4, 6, mid July-mid August

10397 *renigera* (Stephens, 1829). Statewide, June-September

10405 *loreia* (Guenée, 1852). Statewide, mid June-mid July

10406 *olivacea* (Morrison, 1874). Statewide, early August-mid September

- 10414 *implicata* McDunnough, 1937. Division 6, late August-early September
FARONTIA J. B. Smith, 1908
- 10431 *diffusa* (Walker, 1856). Statewide, early May-late August
 10434 *rubripennis* (Grote & Robinson, 1870). Divisions 5, 6, August
ALETIA Hübner, 1821
- 10436 *oxygala* (Grote, 1881). Statewide, June-early September
PSEUDALETIA Franclemont, 1951
- 10438 *unipuncta* (Haworth, 1809). Statewide, mid April-mid October
LEUCANIA Ochsenheimer, 1816
- 10440 *linita* Guenée, 1852. Divisions 1, 2, 4, 5, early June-early September
 10444 *phragmitidicola* Guenée, 1852. Statewide, mid May-mid September
 10445 *linda* Franclemont, 1952. Divisions 3, 4, 5, 6, June-late September
 10446 *multilinea* Walker, 1856. Statewide, mid June-mid August
 10446.1 *lapidaria* (Grote, 1876). Statewide, mid June-August
 10447 *commoides* Guenée, 1852. Statewide, late June-mid August
 10449 *insueta* Guenée, 1852. Statewide, mid June-early July
 10456 *adjuta* (Grote, 1874). Division 5, mid October
 10459 *inermis* (Forbes, 1936). Divisions 4, 5, 6, June
 10461 *ursula* (Forbes, 1936). Division 6, late August
 10462 *pseudargyria* Guenée, 1852. Statewide, July
STRETCHIA Hy. Edwards, 1874
- 10471 *plusiaeformis* Hy. Edwards, 1874. Division 2, mid April
ORTHOSSIA Ochsenheimer, 1816
- 10487 *rubescens* (Walker, 1865). Divisions 2, 4, 6, mid April-early May
 10488 *garmani* (Grote, 1879). Divisions 2, 4, 6, April
 10490 *revicta* (Morrison, 1876). Statewide, mid April-mid May
 10491 *alurina* (J. B. Smith, 1902). Divisions 4, 5, 6, early April-mid May
 10493 *segregata* (J. B. Smith, 1893). Division 3, mid May
 10495 *hibisci* (Guenée, 1852). Statewide, early April-early May
CROCIGRAPHIA Grote, 1875
- 10501 *normani* (Grote, 1874). Statewide, late April-early June
EGIRA Duponchel, 1845
- 10513 *dolosa* (Grote, 1880). Statewide, mid April-late May
ACHATIA Hübner, 1813
- 10518 *distincta* Hübner, 1813. Statewide, late April-late May
MORRISONIA Grote, 1874
- 10520 *evicta* (Grote, 1873). Statewide, late April-late May
 10521 *confusa* (Hübner, 1827-31). Divisions 4, 5, 6, late April-late May
 10521.1 *latex* (Guenée, 1852). [formerly 10291] Statewide, mid May-late June
NEPHELODES Guenée, 1852
- 10524 *minians* Guenée, 1852. Statewide, mid August-mid September
ANHIMELLA McDunnough, 1943
- 10530 *contrahens* (Walker, 1860). Divisions 2, 4, 5, mid June-mid July
HOMORTHOODES McDunnough, 1943
- 10532 *furfurata* (Grote, 1875). Divisions 2, 4, 6, July
PROTORTHOODES McDunnough, 1943
- 10552 *incincta* (Morrison, 1874). Statewide, late August-mid September

- 10553 *saturnus* (Strecker, 1900). Type specimen is from Wisconsin. Possibly a synonym of *P. incincta*.
- 10563 *oviduca* (Guenée, 1852). Statewide, late May-late June
- ULOLONCHE* J. B. Smith, 1888
- 10567 *culea* (Guenée, 1852). Divisions 2, 4, 6, mid May-mid June
- 10569 *modesta* (Morrison, 1874). Statewide, early May-early June
- PSEUDORTHODES* Morrison, 1874
- 10578 *vecors* (Guenée, 1852). Divisions 2, 4, 5, 6, early June-mid July
- ORTHOODES* Guenée, 1852
- 10585 *crenulata* (Butler, 1890). Statewide, July
- 10587 *cynica* Guenée, 1852. Statewide, late May-early July
- 10589.1 *goodelli* (Grote, 1875). [formerly 10289] Statewide, late May-mid July
- 10589.2 *obscura* (J. B. Smith, 1888). [formerly 10290] Statewide, mid May-mid June
- TRICHLOLITA* Grote, 1875
- 10627 *signata* (Walker, 1860). Statewide, early August-early September
- 10628 *notata* Strecker, 1898. Divisions 4, 5, 6, late August-early September
- Noctuinae**
- AGROTIS* Ochsenheimer, 1816
- 10641 *vetusta* Walker, 1865. Statewide, mid August-late September
- 10648 *gladiaria* Morrison, 1874. Divisions 3, 4, 5, 6, September
- 10651 *venerabilis* Walker, 1857. Statewide, September
- 10658 *stigmosa* Morrison, 1874. Divisions 4, 5, mid May-early June
- 10659 *volubilis* Harvey, 1874. Divisions 1, 2, 3, 4, late May-mid June
- 10663 *epsilon* (Hufnagel, 1766). Statewide, mid May-September
- FELTIA* Walker, 1856
- 10670 *jaculifera* (Guenée, 1852). Statewide, mid August-mid September
- 10674 *subgothica* (Haworth, 1809). Statewide, early August-early September
- 10675 *tricosa* (Lintner, 1874). Divisions 4, 5, 6, early August-early September
- 10676 *herilis* (Grote, 1873). Statewide, late July-early September
- COPABLEPHARON* Harvey, 1878
- 10689 *longipenne* Grote, 1882. Division 3, mid August
- EUCOPTOCNEMIS* Grote, 1874
- 10694 *fimbriaris* (Guenée, 1852). Divisions 3, 4, 5, 6, mid September
- TRICHOSILIA* Hampson, 1918
- 10698.2 *geniculata* (Grote & Robinson, 1868). [formerly 10680] Statewide, early August-mid September
- 10698.5 *mollis* (Walker, 1857). [formerly 10644] Divisions 1, 2, 4, mid July-mid August
- MESEMBRAGROTIS* Barnes & Benjamin, 1927
- 10701.1 new species. Divisions 5, 6, late August
- EUXOA* Hübner, 1821
- 10702 *divergens* (Walker, 1857). Divisions 1, 2, late June-late July
- 10703 *sinelinea* Hardwick, 1965. Division 1, late July
- 10705 *messoria* (Harris, 1841). Divisions 2, 3, 4, 5, late August-late September
- 10714 *quebecensis* (J. B. Smith, 1900). Division 1, late June
- 10715 *scandens* (Riley, 1869). Statewide, late June-July
- 10716 *aurulenta* (J. B. Smith, 1888). Division 3, mid June-early July

- 10727 *pleuritica* (Grote, 1876). Divisions 1, 2, 3, mid July-mid August
 10730 *lidia thanatologia* (Dyar, 1904). Divisions 2, 3, 4, mid June-mid August
 10731 *auxiliaris* (Grote, 1873). Division 2, early June
 10738 *mimallonis* (Grote, 1873). Divisions 1, 2, 4, early August-early September
 10749 *intrita* (Morrison, 1874). Division 1, late August
 10753 *immixta* (Grote, 1881). Division 6, July
 10755 *declarata* (Walker, 1865). Divisions 1, 2, 4, 6, late August-mid September
 10793 *scholastica* McDunnough, 1920. Divisions 5, 6, late June-late July
 10801 *ochrogaster* (Guenée, 1852). Division 2, August
 10803 *velleripennis* (Grote, 1874). Statewide, mid August-mid September
 10805 *tessellata* (Harris, 1841). Statewide, late June-mid August
 10807 *albipennis* (Grote, 1876). Statewide, late August-mid September
 10812 *bostoniensis* (Grote, 1874). Division 5, late September
 10813 *medialis* (J. B. Smith, 1888). Division 6, late September
 10817 *obeliscoides* (Guenée, 1852). Divisions 5, 6, mid August-early September
 10831 *niveilinea* (Grote, 1882). Divisions 4, 5, 6, mid September
 10838a *detersa personata* (Grote, 1876). Statewide, late August-late September
 10851 *redimicula* (Morrison, 1874). Divisions 3, 4, 5, 6, late July-late August
 10854 *servita* (J. B. Smith, 1895). Divisions 2, 4, 6, early July-early August
 10863 *manitobana* McDunnough, 1925. Divisions 1, 3, 4, July
 10865 *perpolita* (Morrison, 1876). Divisions 2, 4, late August-mid September
- RICHTIA* Grote, 1887
- 10869 *grotei* (Franclemont & Todd, 1983). Division 6, mid August-early September
- OCHROPLEURA* Hübner, 1821
- 10891 *impecta* Lafontaine, 1998. Statewide, late May-August
- EUAGROTIS* McDunnough, 1929
- 10902 *forbesi* Franclemont, 1952. Statewide, early June-July
 10903 *illapsa* (Walker, 1857). Divisions 4, 5, 6, late May-late August
 10909 *tenuescens* (J. B. Smith, 1890). Division 6, late July
- PERIDROMA* Hübner, 1821
- 10915 *saucia* (Hübner, 1803-08). Statewide, April-November
- DIARSIA* Hübner, 1821
- 10917 *rubifera* (Grote, 1875). Divisions 1, 2, 3, 4, late June-early August
 10919 *jucunda* (Walker, 1857). Divisions 1, 2, 3, July
 10921 *rosaria* (Grote, 1878). Divisions 1, 2, mid June-early July
- ACTEBIA* Stephens, 1829
- 10924 *fennica* (Tauscher, 1806). Divisions 1, 2, 3, 4, late August
- SPAELOTIS* Boisduval, 1840
- 10926 *clandestina* (Harris, 1862). Statewide, mid June-mid September
- GRAPHIPHORA* Ochsenheimer, 1816
- 10928 *augur* (Fabricius, 1775). Divisions 1, 2, 3, 4, early July-early August
- EUROIS* Hübner, 1821
- 10929 *occulta* (Linnaeus, 1758). Divisions 1, 2, 3, mid July-late August
 10930 *astricta* Morrison, 1874. Divisions 1, 2, 3, 4, late July-late August
- XESTIA* Hübner, 1818
- 10942 *c-nigrum* (Linnaeus, 1758). Statewide, early June-early October
 10942.1 *dolosa* Franclemont, 1980. Statewide, late May-mid September
 10943 *normaniana* (Grote, 1874). Statewide, early August-early September

- 10944 *smithii* (Snellen, 1896). Statewide, mid August-mid September
 10947 *oblata* (Morrison, 1875). Divisions 1, 2, early July
 10968 *badicollis* (Grote, 1873). Statewide, late August-early September
 10968.1 *praevia* Lafontaine, 1998. Divisions 1, 2, 4, late July-late August
 10970 *youngii* (J. B. Smith, 1902). Divisions 1, 2, 3, 4, late August-early September
- COENOPHILA* Stephens, 1850
- 10988 *opacifrons* (Grote, 1878). Divisions 1, 2, 3, 4, 5, mid August-early September
- AGNORISMA* Lafontaine, 1998
- 10988.2 *bardinodis* (Grote, 1874). [formerly 10955] Divisions 5, 6, September
 10988.3 *bugrai* (Kocak, 1983). [formerly 10954] Statewide, late August-early September
- PSEUDOHERMONASSA* Varga, 1990
- 10988.5 *bicarnea* (Guenée, 1852). [formerly 10950] Statewide, August
 10988.6 *tenuicula* (Morrison, 1874). [formerly 10951] Statewide, August-early September
- PARADIARSIA* McDunnough, 1929
- 10992 *littoralis* (Packard, 1867). Division 2, mid June-early July
- HEMIPACHNOBIA* McDunnough, 1929
- 10993.1 *monochromatea* (Morrison, 1874). Divisions 1, 2, 3, 4, late May-late June
- CERASTIS* Ochsenheimer, 1816
- 10994 *tenebrifera* (Walker, 1865). Divisions 2, 6, early April-early May
 10996 *salicarum* (Walker, 1857). Divisions 2, 3, 6, mid April-early May
 10997 *fishii* (Grote, 1878). Division 1, 2, 3, early May-early June
- APLECTOIDES* Butler, 1878
- 10999 *condita* (Guenée, 1852). Divisions 1, 2, late May-late June
- ANAPLECTOIDES* McDunnough, 1929
- 11000 *prasina* (Denis & Schiffermüller, 1775). Statewide, early July-early August
 11001 *pressus* (Grote, 1874). Divisions 1, 2, 3, late June-mid July
- CHERSOTIS* Boisduval, 1840
- 11003 *juncta* (Grote, 1878). Division 2, early August
- PROTOLAMPRA* McDunnough, 1929
- 11004 *rufipectus* (Morrison, 1875). Divisions 2, 4, mid August-early September
 11006 *brunneicollis* (Grote, 1865). Statewide, mid July-early September
- EUERETAGROTIS* J. B. Smith, 1890
- 11007 *sigmoidea* (Guenée, 1852). Divisions 1, 2, 3, 6, July
 11008 *perattenta* (Grote, 1876). Divisions 1, 2, 3, 4, 6, late June-July
 11009 *attenta* (Grote, 1874). Statewide, July
- LYCOPHOTIA* Hübner, 1821
- 11010 *phyllophora* (Grote, 1874). Divisions 1, 2, 3, 4, July
- CRYPTOCALA* Benjamin, 1921
- 11012 *acadensis* (Bethune, 1870). Statewide, mid July-mid August
- NOCTUA* Linnaeus, 1758
- 11012.1 *pronuba* (Linnaeus, 1758). Statewide, mid June-August
- ABAGROTIS* J. B. Smith, 1890
- 11029 *alternata* (Grote, 1864). Statewide, mid July-Septmber
 11043 *cupida* (Grote, 1865). Statewide, late July-mid September
 11044 *brunneipennis* (Grote, 1875). Divisions 1, 2, 3, early July-late August
 11045 *anchocelioides* (Guenée, 1852). Statewide, early July-early September

UFEUS Grote, 1873

- 11052 *plicatus* Grote, 1873. Division 5, September-October

Heliothinae

PYRRHIA Hübner, 1821

- 11063 *adela* Lafontaine & Mikkola, 1996. Divisions 5, 6, mid June-early August

- 11064 *exprimens* (Walker, 1857). Divisions 1, 2, 3, 4, early June-early July

RHODOECIA Hampson, 1910

- 11065 *aurantiago* (Guenée, 1852). Division 6, late July-mid August

HELICOVERPA Hardwick, 1965

- 11068 *zea* (Boddie, 1850). Statewide, mid August-mid October

HELIOTHIS Ochsenheimer, 1816

- 11070 *subflexus* Guenée, 1852. Divisions 4, 6, mid June-mid August

- 11072 *phloxiphagus* Grote & Robinson, 1867. Divisions 2, 6, mid May-mid September

- 11072.1 *acesias* Felder & Rogenhofer, 1872. Divisions 3, 4, 6, mid June-mid September

- 11081 *borealis* (Hampson, 1903). Divisions 2, 4, mid May

SCHINIA Hübner, 1818

- 11095 *indiana* (J. B. Smith, 1908). Division 4, late May-early June

- 11105 *bina* (Guenée, 1852). Divisions 2, 4, mid June

- 11110 *septentrionalis* (Walker, 1858). Divisions 5, 6, late August-early September

- 11117 *lynx* (Guenée, 1852). Divisions 4, 5, 6, mid July-early September

- 11118 *obscurata* Strecker, 1898. Divisions 3, 4, 5, 6, mid June-late July

- 11128 *arcigera* (Guenée, 1852). Statewide, mid August-mid September

- 11131 *mortua* (Grote, 1865). Division 6, late August

- 11132 *jaguarina* (Guenée, 1852). Division 6, early June-mid July

- 11135 *rivulosa* (Guenée, 1852). Divisions 3, 4, 5, 6, late July-mid August

- 11141 *thoreau* (Grote & Robinson, 1870). Division 6, late July

- 11148 *oleagina* Morrison, 1875. Divisions 5, 6, mid August

- 11149 *trifascia* Hübner, 1818. Divisions 3, 4, 5, 6, late August

- 11164 *florida* (Guenée, 1852). Statewide, late July-late August

- 11174 *lucens* (Morrison, 1875). Divisions 4, 5, 6, late June-mid July

- 11177 *nundina* (Drury, 1773). Divisions 3, 4, 6, late July-late August

- 11179 *tertia* (Grote, 1874). Division 2, late August

- 11199 *chrysella* (Grote, 1874). Division 4, mid September

DISCUSSION

A considerable amount of field work in a variety of habitat types remains to be done, in order to more accurately determine the habitat association, range and status of many infrequently encountered moth species. While sufficient data exists to support classifying species as common or abundant, there is considerable uncertainty whether or not poorly documented species are truly rare. Past experience has shown that for many such species, apparent rarity was an artifact of insufficient searching, lack of knowledge of habitat association and seasonal occurrence, or species not readily obtainable by customary collecting methods. The preponderance of specimens providing documentation for this list were collected at light. Other methods, such as the use of sugar bait, netting from flowers or searching by day, often obtain

species not readily attracted to light, indicating that reliance on a single collecting method can strongly bias sampling results.

The great diversity of moths found in Wisconsin is a reflection of the state's geographic position and wide variety of habitats. Curtis (1959) indicates that floristic elements of the eastern deciduous forest region, the boreal region and the prairie region meet and intermingle in the state, which is a significant factor responsible for the corresponding richness of the moth fauna. A number of Wisconsin's most distinctive, and in some cases most limited, native habitat types have been systematically and intensively surveyed for moths. Particular effort has been made to thoroughly inventory large and typical examples of each. Records of heretofore unusual, infrequently encountered species consistently associated with replicated study sites, along with available information on larval host plant specificity, form the basis for associating the moth species with habitat type. These correlations were aided by the list and tables appearing in Curtis (1959) indicating the habitat or community in which plant species occur and achieve their maximum presence. A number of moth species occur more broadly in related habitat types. For example, sand prairie, pine barrens and dune habitats have a significant commonality of moth fauna. The classification and plant species composition information for the habitats discussed below is from Curtis (1959).

Dry Prairie: Isolated remnants occur on steep, rocky limestone-capped bluffs, with most sites located in the Southwestern Upland division. Dominant grasses include little bluestem, side-oats grama, Indian grass and northern dropseed. Other characteristic plants include leadplant, milkweeds, asters, goldenrods and blazing star. Moth species strongly associated with dry prairie include *Digrammia ordinata* (6356), *Apantesis carlotta* (8171.1), *Grammia figurata* (8188), *Cycnia inopinatus* (8228), *Catocala abbreviatella* (8841), *Catocala whitneyi* (8843), *Catocala amestris* (8844), *Tarachidia binocula* (8089), *Apamea burgessi* (9378), *Apamea relicina* (9380), *Euxoa immixta* (10753), *Richia grotei* (10869), *Schinia oleagina* (11148), and *Schinia lucens* (11174).

Sand Prairie: The most extensive remaining sites occur on dry, level sand terraces along the lower Wisconsin River in the Southwestern Upland division, an area referred to as the "Wisconsin Desert." Dominant grasses include little bluestem and June grass. Characteristic of this habitat are stands of prickly-pear cactus and wind-carved sand blowouts with false heather. Moth species associated with sand prairie include *Digrammia eremiata* (6357), *Crambidia casta* (8051), *Crambidia pura* (8052), *Apantesis carlotta* (8171.1), *Grammia phyllira* (8194), *Grammia oithona* (8195), *Grammia arge* (8199), *Cycnia inopinatus* (8228), *Phytometra ernestinana* (8480), *Drasteria graphica atlantica* (8618a), *Catocala abbreviatella* (8841), *Catocala whitneyi* (8843), *Catocala amestris* (8844), *Tarachidia binocula* (9089), *Apamea relicina* (9380), *Apamea burgessi* (9378), *Caradrina meralis* (9654), *Oncocnemis riparia* (10135), *Eucoptocnemis fimbriaris* (10694), *Euxoa scandens* (10715), *Euxoa veleripennis* (10803), *Euxoa albipennis* (10807), *Euxoa niveolinea* (10831), *Schinia lynx* (11117), and *Schinia lucens* (1174).

Great Lakes Beach and Dunes: These sparsely vegetated habitats occur on the shores of Lakes Michigan and Superior. Indicator plants include beachgrass, beach pea, wormwood, and creeping juniper. Bearberry and false heather are prominent on Lake Superior dunes. Moth species unique to or characteristic of dunes include *Thera contractata* (7218), *Crambidia casta* (8051), *Grammia phyllira* (8194), *Grammia oithona* (8195), *Drasteria graphica atlantica* (8618a), *Apamea inordinata* (9353), *Caradrina multifera* (9657), *Oncocnemis riparia* (10135),

Trichoclea artesta (10263), *Copablepharon longipenne* (10689), *Eucoptocnemis fimbriaris* (10694), *Euxoa quebecensis* (10714), *Euxoa aurulenta* (10716), and *Euxoa intrita* (10749)

Pine Barrens: Occurring in the Central Plains and Northern Highland divisions, this habitat consists of dry, sandy open areas with scattered scrubby jack pine and Hill's oak. Indicator species comprising the groundlayer flora include blueberry, bearberry, sweetfern, wild lupine, downy phlox, puccoon and New Jersey tea. Sites in the Central Plains and western Burnett County contain a large proportion of prairie plants, with the prevalence of prairie plants lessening in sites located to the north and east. Moths associated with pine barrens include *Apodrepanulatrix liberaria* (6693), *Erastria coloraria* (6704), *Hemaris gracilis* (7854), *Schizura apicalis* (8009), *Crambidia casta* (8051), *Crambidia pura* (8052), *Spilosoma dubia* (8136), *Grammia celia* (8187), *Pygarctia spraguei* (8254), *Cerma cora* (9061), *Bagisara rectifascia* (9169), *Acronicta quadrata* (9224), *Selicanis cinereola* (9430), *Chytonix sensilis* (9557), *Caradrina meralis* (9654), *Xylena thoracica* (9875), *Xylena cineritia* (9876), *Epiglaea apiata* (9947), *Psectraglaea carnosa* (9951), *Oncocnemis saundersiana* (10099), *Oncocnemis viriditincta* (10108), *Lepipolis perscripta* (10154), *Sideridis congermana* (10266), *Sideridis maryx* (10268), *Euxoa perpolita* (10865), *Xestia youngii* (10970), *Cerastis fishii* (10997), *Schinia indiana* (11095), and *Schinia bina* (11105).

Peat Bog: Occurring most frequently in northern Wisconsin and defined by a continuous sphagnum moss groundlayer on a wet, acid peat soil, bogs can be classified into several types. They range from floating lake edge sphagnum mats supporting cranberry, pitcher plant and sundews to muskegs characterized by tussocks with leatherleaf, bog laurel and bog rosemary to swamp conifer forests having nearly closed canopies of tamarack and black spruce. Associated moth species include *Macaria sulfurea* (6283), *Macaria truncataria* (6321), *Macaria sexmaculata* (6343), *Macaria submarmorata* (6350), *Macaria oweni* (6351), *Eufidonia discospilata* (6639), *Hyalophora columbia* (7768), *Holomelina lamae* (8120), *Spilosoma dubia* (8136), *Grammia speciosa* (8175.1), *Chrysonympha formosa* (8904), *Syngrapha montana* (8945), *Syngrapha microgamma nearctica* (8946a), *Exyra fax* (9021), *Eremobina claudens* (9396), *Oligia minuscula* (9416), *Chortodes basistriga* (9439), *Papaipema appassionata* (9493), *Epiglaea apiata* (9947), *Melanchra pulverulenta* (10294), *Trichordestra rugosa* (10302), *Anarta luteola* (10332), *Xestia obliqua* (10947), *Xestia youngii* (10970), *Coenophila opacifrons* (10988), *Hemipachnobia monochromatea* (10993.1), *Cerastis fishii* (10997), and *Heliothis borealis* (11081).

Wet Prairie: Characterized by a flora including big bluestem, blue joint grass, cordgrass, wild rye, prairie dock, compass plant, blazing star, coneflowers, sunflowers, goldenrods and asters, most remaining examples of wet-mesic to wet prairie occur in southeastern Wisconsin. The relatively few moth species appearing to be strongly associated with wet prairies include *Luperina stipata* (9393), *Spartiniphaga inops* (9435), *Chortodes enervata* (9441), *Papaipema necopina* (9497), *Papaipema silphii* (9498), *Papaipema maritima* (9500), *Papaipema nelita* (9502), *Papaipema beeriana* (9508), and *Tricholita notata* (10628).

Wetland: Included in this general category are habitats ranging from marshes dominated by cattails and reeds to wet meadows dominated by sedges and bluejoint grass, with meadow rue, Joe-Pye weed and swamp milkweed being prominent. Many wet areas become dominated by shrubs such as willow, alder, steeple bush and meadow sweet. Wetland associated moth species include *Plemyria georgii* (7216), *Orthonama evansi* (7415), *Hemileuca maia* (7730),

Macrochilo absorptalis (8357), *Macrochilo bivittata* (8359), *Macrochilo orciferalis* (8360), *Macrochilo louisiana* (8361), *Hypenodes caducus* (8420), *Hypenodes fractilinea* (8421), *Hypenodes palustris* (8422), *Hypenodes sombrus* (8423), *Pseudeva purpurigera* (8899), *Plusia putnami* (8950), *Plusia contexta* (8952), *Plusia venusta* (8953), *Capis curvata* (9059), *Acronicta connecta* (9219), *Simyra henrici* (9280), *Luperina stipata* (9393), *Eremobina jocasta* (9398), *Meropleon diversicolor* (9427), *Lemmeria digitalis* (9429), *Spartiniiphaga paratela* (9436), *Chortodes inquinata* (9437), *Chortodes enervata* (9441), *Chortodes defecta* (9443), *Archanaara oblonga* (9449), *Archanaara subflava* (9450), *Archanaara laeta* ((9451), *Papaipema cataphracta* (9466), *Papaipema impecuniosa* (9473), *Papaipema lysimachiae* (9479), *Papaipema speciosissima* (9482), *Papaipema inquaesita* (9483), *Papaipema nepheleptena* (9490), *Papaipema eupatorii* (9501), *Papaipema unimoda* (9509), *Iodopepla u-album* (9522), *Bellura gortynoides* (9523), *Bellura brehmei* (9524), *Bellura obliqua* (9525), *Bellura densa* (9526), *Conservula anodonta* (9548), *Fagitala littera* (9629), *Xanthia near togata* (9965), *Hillia iris* (9967), *Leucania linita* (10440), and *Cryptocala acadiensis* (11012).

Strays and migrants: A significant number of species regarded as strays or migrants have been recorded in Wisconsin. Ferguson et al. (1991) provides considerable insight regarding migratory Lepidoptera species in eastern North America, listing frequent or obvious migrants, many classified as such for the first time. Many of the migrants recorded in Wisconsin are of tropical or subtropical origin, others originate from breeding ranges in the southern states, and a few are of western affinities. Strays are defined here as three or fewer historic occurrences, most being single occurrences of single individuals. Migrants recur more often but irregularly, with some occasionally establishing temporary breeding populations. In addition, Ferguson et al. (1991) discuss a number of migrant species that are consistently present northward every season, some with such regularity they are often considered resident species. However, they have no diapause and must annually repopulate northern regions.

Strays: *Macaria punctolineata* (6332), *Lobocleta ossularia* (7094), *Idaea bonifata* (7102), *Agrius cingulata* (7771), *Ceratomia hageni* (7790), *Erinnyis alope* (7832), *Erinnyis ello* (7834), *Erinnyis obscura* (7837), *Aellopos titan* (7849), *Eumorpha fasciata* (7865), *Eumorpha labruscae* (7866), *Utetheisa bella* (8106), *Tetanolita mynesalis* (8366), *Tetanolita florida* (8368), *Colobochyla interpuncta* (8411), *Ophiuche minualis* (8457), *Tathorhynchus exsiccatus* (8466), *Eudocima materna* (8543), *Anomis erosa* (8545), *Alabama argillacea* (8554), *Anticarsia gemmatalis* (8574), *Melipotis perpendicularis* (8598), *Thysania zenobia* (8647), *Lesmone detrahens* (8651), *Mocis latipes* (8743), *Ptichodis bistrigata* (8751), *Catocala insolabilis* (8791), *Catocala maestosa* (8793), *Catocala lacrymosa* (8794), *Catocala junctura* (8829), *Argyrogramma verruca* (8885), *Autographa californica* (8914), *Thioptera nigrofimbria* (9044), *Tarachidia virginalis* (9088), *Leucania adjuta* (10456), *Stretchia plusiaeformis* (10471), *Anhimella contrahens* (10530), *Euxoa auxiliaris* (10731), *Chersotis juncta* (11103), *Schinia jaguarina* (11132), *Schinia tertia* (11179), *Schinia chrysella* (11199).

Irregularly occurring migrants: *Manduca sexta* (7775), *Manduca quinquemaculata* (7776), *Sphinx vashti* (7803), *Eumorpha achemon* (7861), *Xylophanes tersa* (7890), *Ascalapha odorata* (8649), *Mocis texana* (8745), *Catocala luciana* (8808), *Ctenoplusia oxygramma* (8889), *Pseudoplusia includens* (8890), *Rachiplusia ou* (8895), *Megalographa biloba* (8907), *Amyna octo* (9070), *Magusa orbifera* (9637), *Faronta rubripennis* (10434).

Annually occurring migrants: *Pleuroprucha insulsaria* (7132), *Orthonama obstipata* (7414), *Costaconvexa centrostrigaria* (7416), *Hyles lineata* (7894), *Plathypena scabra* (8465), *Zale lunata* (8689), *Spodoptera frugiperda* (9666), *Spodoptera ornithogalli* (9669), *Galgula partita* (9688), *Pseudaletia unipuncta* (10438), *Agrotis ipsilon* (10663), *Peridromia saucia* (10915), *Helicoverpa zea* (11068).

Questionable and unconfirmed records: The following species are attributed to Wisconsin by the literature sources indicated, but specimens confirming these records were not located.

- 6257 *Leucobrephos brephoides* (Walker, 1857). Covell (1970) states that synonym *hoyi* Grote was described from Wisconsin. Grote (1883) specifically mentions receiving a Wisconsin specimen ("wanting legs and antennae") from Dr. Hoy. This specimen was the basis of the name *Melicleptia hoyi* Grote, which was synonomized under *L. brephoides* by Grote (1883).
- 6711 *Thysanopyga intractata* (Walker, 1863). Forbes (1948) indicates the type was from Wisconsin. The species is a holly feeder, likely a stray or error (D. F. Schweitzer, pers. comm.).
- 6831 *Metarranthis apiciaria* (Packard, 1876). Attributed to Wisconsin by Covell (1970).
- 6832 *Metarranthis obfirmaria* (Hübner, 1823). Attributed to Wisconsin by Covell (1970).
- 7378 *Xanthorhoe algidata* (Möschler, 1874). Attributed to Wisconsin by Covell (1970). Specimens in the Natural History Museum of Los Angeles County determined as this are *Xanthorhoe decolorata* (= 7384 *X. munitata*). *X. algidata* may possibly occur in northern Wisconsin.
- 7531 *Eupithecia indistincta* Taylor, 1910. Attributed to Wisconsin by Covell (1970). An eastern species recorded from Quebec and the northern Atlantic states, according to Bolte (1990).
- 9463 *Parapamea buffaloensis* (Grote, 1877). Forbes (1954) cites the specific locality of Racine, Wisconsin. Wetter et al. (1999) state that the occurrence of lizard's tail (*Saururus cernuus* L.), its sole larval host, has not been verified in Wisconsin.
- 9665 *Spodoptera exigua* (Hübner, 1803-08). Crumb (1956) includes Wisconsin in the range of this species, but its distribution is mainly in southern and western states. A migrant known for its long range dispersal, listed by Ferguson (1991).

ACKNOWLEDGEMENTS

We wish to acknowledge and thank the many individuals, agencies and institutions that provided assistance with this work. To Allen M. Young and Susan S. Borkin, Milwaukee Public Museum; Daniel K. Young and Steven Krauth, University of Wisconsin-Madison; Gene Drecktrah, University of Wisconsin-Oshkosh; Julian P. Donahue, Natural History Museum of Los Angeles County; Klaus B. Bolte, Canadian National Collection; Douglas C. Ferguson,

United States National Museum of Natural History; Alfred F. Newton Jr. and Philip Parillo, Field Museum of Natural History; and Frederick H. Rindge, American Museum of Natural History, we are grateful for facilitating access to the collections in their care. For assistance with specimen identification, we are indebted to Klaus B. Bolte, Charles V. Covell Jr., Julian P. Donahue, Douglas C. Ferguson, J. Richard Heitzman, Roger L. Heitzman, J. Donald Lafontaine, Timothy L. McCabe, Eric H. Metzler, Mogens C. Nielsen, Robert W. Poole, Eric Quinter, Dale F. Schweitzer and John H. Wilterding. We wish to thank Tom Barina, Robert J. Borth, Walter P. Gould, George F. Holbach, Waldemar Kmentt, Hugo Kons, Jr., Tom Kral, Jim Kruse, Ron Leuschner, James C. Parkinson, Tom Rocheleau, Mike Sabourin, Janice Stiefel and the late William E. Sieker for making their collections available for examination or providing specimens. Douglas C. Ferguson, J. Donald Lafontaine and Dale F. Schweitzer provided valuable advice on taxonomic and nomenclatural problems. We are grateful to many staff members of the Bureau of Endangered Resources, Wisconsin Department of Natural Resources, and to Nancy Braker, Stewardship Director, and staff members of The Nature Conservancy, Wisconsin Chapter, for access and permission to collect in State Natural Areas and preserves under their supervision.

Reviewers for this paper were Charles V. Covell Jr. and Eric H. Metzler.

LITERATURE CITED

- Bolte, K. B. 1990. Guide to the Geometridae of Canada (Lepidoptera) VI. Subfamily Larentiinae 1. Revision of the Genus *Eupithecia*. Mem. Entomol. Soc. Canada 151. 253 pp.
- Covell, Charles V. Jr. 1970. An Annotated Check List of the Geometridae (Lepidoptera) of Wisconsin. Transactions of the Wisconsin Academy of Sciences, Arts and Letters 58: 167-183.
- Covell Jr., C. V. 1989. The Valid Generic Placement for "*Calothysanis*" *amaturaria* (Walker) (Geometridae, Sterrhinae). J. Lep. Soc. 43: 72.
- Crabo, Lars, and J. Donald Lafontaine. 1997. A Revision of the *Cerastis cornuta* Group of the Genus *Cerastis* Subgenus *Metalepsis* (Noctuidae). J. Lep. Soc. 51: 237-248.
- Crumb, S. E. 1956. The Larvae of the Phalaenidae. U. S. Dept. Agric. Tech. Bull. 1135.
- Curtis, John T. 1959. Vegetation of Wisconsin. University of Wisconsin Press, Madison, Wisconsin. 657 pp.
- Ebner, James A. 1970. The Butterflies of Wisconsin. Milwaukee Public Museum Popular Science Handbook No. 12. 205 pp.
- Ferge, Leslie A. 1990. Checklist of Wisconsin Butterflies. Wisconsin Entomological Society Miscellaneous Publication No. 1.
- Ferguson, D. C., D. J. Hilburn and B. Wright. 1991. The Lepidoptera of Bermuda: Their Foodplants, Biogeography and Means of Dispersal. Mem. Entomol. Soc. Canada 158. 105 pp.
- Ferguson, D. C. 1993. A Revision of the Species of *Nematocampa* (Geometridae: Ennominae) Occurring in the United States and Canada. J. Lep. Soc. 47: 60-77.
- Fernekes, V. 1906. List of Lepidoptera Occurring in Milwaukee County. Bull. Wisconsin Nat. Hist. Soc. 4: 39-58.
- Forbes, W. T. M. 1948. Lepidoptera of New York and Neighboring States. Part II. Cornell Univ. Agric. Exp. Sta. Mem. 274.

- Forbes, W. T. M. 1954. Lepidoptera of New York and Neighboring States. Part III. Cornell Univ. Agric. Exp. Sta. Mem. 329.
- Grehan, J. R., B. L. Parker, G. R. Nielsen, D. H. Miller, J. D. Hedbor, M. Sabourin and M. S. Griggs. 1995. Moths and Butterflies of Vermont (Lepidoptera): A Faunal Checklist. A joint Vermont Agricultural Experimental Station and State of Vermont Publication. Miscellaneous Publication 16, VMC Bulletin 1. 86 pp.
- Grote, A. R. 1883. On the Genus *Leucobrephos*. Can. Ent. 15: 55-56.
- Handfield, L., J.-F. Landry, B. Landry and J. D. Lafontaine. 1997. Liste des Lépidoptères du Québec et du Labrador. Fabreries Supplément 7, 155 pp.
- Hardwick, David F. 1996. A Monograph to the North American Heliothentinae (Lepidoptera: Noctuidae). Published by the author. 281 pp.
- Hodges, Ronald W. et al. 1983. Check List of the Lepidoptera of America North of Mexico. E. W. Classey, Ltd., London. 284 pp.
- Hole, Francis D. and Clifford E. Germain. 1994. Natural Divisions of Wisconsin. Wisconsin Department of Natural Resources.
- Hoy, P. R. 1883. A Catalog of Wisconsin Lepidoptera. Geology of Wisconsin - Survey of 1873-1879. 1: 406-421.
- Kononenko, V. S., J. Donald Lafontaine and Kauri E. Mikkola. 1989. An Annotated Checklist of Noctuid Moths (Lepidoptera, Noctuidae) of Beringea. Entomologicheskoye Obozreniye 3: 549-567.
- Kuehn, Roger M. 1983. New Wisconsin Butterfly Records. J. Lepid. Soc. 37: 228-235.
- Lafontaine, J. Donald. 1987. The Moths of America North of Mexico including Greenland. Noctuoidea, Noctuidae (part) Noctuinae (*Euxoa*). The Wedge Entomological Research Foundation, Washington, D.C. 237 pp. 40 pl.
- Lafontaine, J. Donald and Robert W. Poole. 1991. The Moths of America North of Mexico including Greenland. Noctuoidea, Noctuidae (part) Plusiinae. The Wedge Entomological Research Foundation, Washington, D.C. 182 pp. 22 pl.
- Lafontaine, J. Donald. 1998. The Moths of America North of Mexico including Greenland. Noctuoidea, Noctuidae (part) Noctuinae. The Wedge Entomological Research Foundation, Washington, D.C. 348 pp. 44 pl.
- McCabe, Timothy L. 1980. A Reclassification of the *Polia* Complex for North America (Lepidoptera, Noctuidae). New York State Mus. Bull. No. 42. 141 pp.
- McGuffin, W. C. 1977. Guide to the Geometridae of Canada (Lepidoptera) II. Subfamily Ennominae. 2. Mem. Entomol. Soc. Canada 101. 191 pp.
- Moore, Sherman. 1955. An Annotated List of the Moths of Michigan Exclusive of Tineoidea (Lepidoptera). Misc. Pub. Mus. Zool., Univ. of Mich. 88: 1-87.
- Muttkowski, R. A. 1907. Additions to the Lepidopterous Fauna of Milwaukee County. Bull. Wisconsin Nat. Hist. Soc. 5: 128-133.
- Newman, John H. and Mogens C. Nielsen. 1973. Moth Species New to Michigan. Great Lakes Entomologist 6: 33-45
- Poole, Robert W. 1989. Lepidopterorum Catalogus (new series) fascicle 118: Noctuidae. E. J. Brill, Leiden, The Netherlands. 1314 pp. (in 3 volumes).
- Rauterberg, F. 1900. List of Lepidoptera of the County of Milwaukee. Bull. Wisconsin Nat. Hist. Soc. 1: 111-126.
- Rindge, F. H. 1985a. A Revision of the Moth Genus *Acronyctodes*, with a Review of the New World Bistonini (Lepidoptera, Geometridae). Amer. Mus. Novit. 2807. 24 pp.

- Ridge, F. H. 1985b. The *Eupithecia* (Lepidoptera, Geometridae) of Mississippi and Louisiana. Amer. Mus. Novit. 2809. 18 pp.
- Rings, Roy W., Eric H. Metzler, Fred J. Arnold and David H. Harris. 1992. The Owlet Moths of Ohio, Order Lepidoptera Family Noctuidae. Ohio Biol. Surv. Bull. New Series Vol. 9, No. 2.
- Scoble, M. J. (editor), M. Parsons, M. R. Honey, L. M. Pitkin and B. R. Pitkin. 1999. Geometrid Moths of the World: A Catalogue (Lepidoptera, Geometridae). Apollo Books and CSIRO Publishing in association with The Natural History Museum, London, Stenstrup, Denmark, and Collingwood, Australia. 2 vols. xxv + 1016 pp. + 129 index pp. + CD-ROM.
- Tuskes, Paul M., James P. Tuttle, and Michael M. Collins. 1996. The Wild Silk Moths of North America. Cornell University Press. 250 pp.
- Wetter, M. A., T. S. Cochrane, M. R. Black, H. H. Iltis and P. E. Berry. 1999. Checklist of the Vascular Plants of Wisconsin. University of Wisconsin Herbarium website: <http://wiscinfo.doit.wisc.edu/herbarium/>

PLATES

PLATE 1

All figures are X1.0

1. *Habrosyne gloriosa* (Guenée), Pierce Co., 6 August 1994
2. *Itame amboflava* Ferguson, Vernon Co., 3 July 1995
3. *Paleacrita merricata* Dyar, Trempealeau Co., 26 March 1998
4. *Macaria marmorata* (Ferguson), Bayfield Co., 30 July 1992
5. *Macaria submarmorata* Walker, Price Co., 29 May 1998
6. *Digrammia pallidata* (Packard), Sauk Co., 14 May 1993
7. *Apodrepanulatrix liberaria* (Walker), Jackson Co., 26 August 1995
8. *Euchlaena milnei* McDunnough, Grant Co., 26 June 1998
9. *Metarranthis amyrisaria* (Walker), Bayfield Co., 30 May 1992
10. *Metarranthis indeclinata* (Walker), Jackson Co., 4 June 1994
11. *Cyclophora nanaria* (Walker), Manitowoc Co., 1 October 1997
12. *Dysstroma citrata* (Linnaeus), Oneida Co., 30 August 1997
13. *Dysstroma walkerata* (Pearsall), Oneida Co., 13 June 1992
14. *Eulithis propulsata* (Walker), Bayfield Co., 27 July 1992
15. *Plemyria georgii* (Hulst), Bayfield Co., 30 August 1992
16. *Thera contractata* (Packard), Manitowoc Co., 15 July 1993
17. *Hydriomena perfracta* Swett, Oneida Co., 6 June 1997
18. *Hydriomena ruberata* (Freyer), Sheboygan Co., 7 June 1992
19. *Anticlea vasiliata* (Guenée), Oneida Co., 25 May 1996
20. *Xanthorhoe abrasaria congregata* (Walker), Bayfield Co., 12 July 1994
21. *Xanthorhoe munitata* (Hübner), Bayfield Co., 27 July 1992
22. *Xanthorhoe labradorensis* (Packard), Manitowoc Co., 15 July 1993
23. *Orthonama evansi* (McDunnough), Marquette Co., 15 August 1997
24. *Hydrelia condensata* (Walker), Bayfield Co., 5 June 1996

plate 1




PLATE 2

All figures are X1.0

25. *Operophtera bruceata* (Hulst), Sheboygan Co., 10 November 1997
26. *Epirrita autumnata henshawi*, Door Co., 17 October 1998
27. *Closteria brucei* Hy. Edwards, Oneida Co., 4 June 1999
28. *Spilosoma dubia* (Walker), Price Co., 29 May 1998
29. *Holomelina lamae* (Freeman), Marathon Co., 4 July 1976
30. *Apantesis carlotta* Ferguson, Grant Co., 15 August 1981
31. *Grammia speciosa* (Möschler), Oneida Co., 4 August 1979
32. *Grammia celia* (Saunders), Waushara Co., 8 June 1999
33. *Ptichodis bistrigata* Hübner, Grant Co., 15 May 1982.
34. *Tarachidia binocula* (Grote), Sauk Co., 15 June 1993
35. *Tarachidia virginalis* (Grote), Sauk Co., 3 August 1987
36. *Tarachidia tortricina* (Zeller), Waukesha Co., 21 July 1989
37. *Merolonche dolli* Barnes & McDunnough, Burnett Co., 12 May 1989
38. *Apamea mixta* (Grote), Oneida Co., 8 August 1997
39. *Apamea ophiogramma* (Esper), Oneida Co., 17 July 1999
40. *Oligia obtusa* (J. B. Smith), Douglas Co., 5 September 1997
41. *Oligia crytora* (Franclemont), Vilas Co., 3 July 1985
42. *Selicanis cinereola* J. B. Smith, Monroe Co., 1 October 1996
43. *Chortodes basistriga* (McDunnough), Vilas Co., 8 September 1989
44. *Chortodes defecta* (Grote), Marquette Co., 15 August 1997
45. *Chotodes enervata* (Guenée), Kenosha Co., 10 August 1989
46. *Papaipema sciata* Bird, Dane Co., 30 September 1989
47. *Papaipema silphii* Bird, Waukesha Co., 2 September 1989
48. *Papaipema beeriana* Bird, Kenosha Co., 15 September 1990

plate 2




PLATE 3

All figures are X1.0

49. *Iodopepla u-album* (Guenée), Marquette Co., 14 May 1999
50. *Bellura brehmei* (Barnes & McDunnough), Price Co., 19 June 1998
51. *Enargia mephisto* Franclemont, Bayfield Co., 9 July 1994
52. *Chytonix sensilis* Grote, Jackson Co., 22 July 1993
53. *Properigea costa* (Barnes & Benjamin), Sauk Co., 3 August 1988
54. *Athetis mendosa* (McDunnough), Jackson Co., 5 July 1994
55. *Caradrina extima* (Walker), Douglas Co., 23 June 1991
56. *Lithophane franclemonti* Metzler, Trempealeau Co., 26 March 1998
57. *Xystopepla rufago* (Hübner), Sauk Co., 10 April 1993
58. *Anathix aggressa* (J. B. Smith), Sheboygan Co., 13 September 1991
59. *Psestraglaea carnosa* (Grote), Bayfield Co., 20 September 1996
60. *Brachylomia discinigra* (Walker), Bayfield Co., 31 August 1992
61. *Oncocnemis viriditincta* J. B. Smith, Burnett Co., 24 August 1998
62. *Trichoclea artesta* (J. B. Smith), Sheboygan Co., 13 July 1991
63. *Anarta luteola* Grote & Robinson, Price Co., 24 May 1996
64. *Tricholita notata* Strecker, Waukesha Co., 2 September 1989
65. *Copablepharon longipenne* Grote, Sheboygan Co., 17 August 1991
66. *Richia grotei* (Franclemont & Todd), Pierce Co., 6 August 1994
67. *Schinia indiana* (J. B. Smith), Jackson Co., 4 June 1994
68. *Noctua pronuba* (Linnaeus), Oneida Co., 14 August 1999
69. *Schinia septentrionalis* (Walker), Green Co., 27 August 1979
70. *Schinia bina* (Guenée), Bayfield Co., 25 June 1996
71. *Schinia mortua* (Grote), Crawford Co., 21 August 1994

plate 3

